




88 Ø28



Kemsley Bath Shower Mixer Tap - Chrome

Code

KMBW104

Description

Kemsley deck mounted bath shower mixer tap with shower kit

Features

- 1/4 Turn opperation
- Ceramic cartridge
- Spout aerator
- Supplied with single mode ABS handset and wall mounted holder
- 1.5m smooth PVC hose
- WRAS approved
- Available in 4 finishes

Technical Specification:


Max perating pressure: 6.0 bar Min operating pressure: 1.5 bar

Finish:

Chrome

Flow Rate (Bar – Ltr/Min):

Bar	0.5	1.0	2.0	3.0	
Un-regulated	6.4	9.5	13.9	17.2	

















Kemsley Bath Shower Mixer Tap - Matt Black

Code

KMBW104MB

Description

Kemsley deck mounted bath shower mixer tap with shower kit

Features

- 1/4 Turn opperation
- Ceramic cartridge
- Spout aerator
- Supplied with single mode ABS handset and wall mounted holder
- 1.5m smooth PVC hose
- WRAS approved
- · Available in 4 finishes

Technical Specification:


Max perating pressure: 6.0 bar Min operating pressure: 1.5 bar

Finish:

Chrome

Flow Rate (Bar - Ltr/Min):

Bar	0.5	1.0	2.0	3.0	
Un-regulated	6.4	9.5	13.9	17.2	











Kemsley Bath Shower Mixer Tap - Matt Grey

Code

KMBW104MG

Description

Kemsley deck mounted bath shower mixer tap with shower kit

Features

- 1/4 Turn opperation
- Ceramic cartridge
- Spout aerator
- Supplied with single mode ABS handset and wall mounted holder
- 1.5m smooth PVC hose
- WRAS approved
- · Available in 4 finishes

Technical Specification:


Max perating pressure: 6.0 bar Min operating pressure: 1.5 bar


Finish:


Chrome

Flow Rate (Bar - Ltr/Min):

Bar	0.5	1.0	2.0	3.0	
Un-regulated	6.4	9.5	13.9	17.2	





















Kemsley Bath Shower Mixer Tap - Brushed Brass

Code

KMBW104BB

Description

Kemsley deck mounted bath shower mixer tap with shower kit

Features

- 1/4 Turn opperation
- Ceramic cartridge
- Spout aerator
- Supplied with single mode ABS handset and wall mounted holder
- 1.5m smooth PVC hose
- WRAS approved
- Available in 4 finishes

Technical Specification:

Max perating pressure: 6.0 bar Min operating pressure: 1.5 bar

Finish:

Chrome

Flow Rate (Bar - Ltr/Min):

Bar	0.5	1.0	2.0	3.0	
Un-regulated	6.4	9.5	13.9	17.2	

