



#### Applications

Designed for use with Dudley Vantage and Miniflo concealed cisterns and Illusion A and V wall hung sanitary ware frames.

#### Water Saving


Dual flush operation for full and water saving reduced flush.

#### Features

- ~ Dual flush
- ~ Smooth pneumatic operation
- ~ Chrome plated finish
- ~ Can be positioned up to 250mm away from the cistern
- ~ Available in other colours - please enquire.



#### Dimensional Data



#### Technical Data

Operation	Pneumatic
Pneumatic Tube Length	750mm
Required Aperture	205mm x 116mm
Mounting Options	IPS Panelling, Furniture, Walls
Material	ABS
Code	326393



#### Applications


Designed for use with Dudley Vantage and Miniflo concealed cisterns and Illusion A and V wall hung sanitary ware frames.

#### Water Saving


Dual flush operation for full and water saving reduced flush.

#### Features

- ~ Dual flush
- ~ Smooth pneumatic operation
- ~ White finish
- ~ Can be positioned up to 250mm away from the cistern
- ~ Available in other colours - please enquire.



#### Dimensional Data



#### Technical Data

Operation	Pneumatic
Pneumatic Tube Length	750mm
Required Aperture	205mm x 116mm
Mounting Options	IPS Panelling, Furniture, Walls
Material	ABS
Code	375777



#### Applications

Designed for use with Dudley Vantage and Miniflo concealed cisterns and Illusion A and V wall hung sanitary ware frames.

#### Water Saving


Dual flush operation for full and water saving reduced flush.

#### Features

- ~ Dual flush
- ~ Smooth pneumatic operation
- ~ Brushed Nickel finish
- ~ Can be positioned up to 250mm away from the cistern
- ~ Available in other colours - please enquire.



#### Dimensional Data



#### Technical Data

Operation	Pneumatic
Pneumatic Tube Length	750mm
Required Aperture	205mm x 116mm
Mounting Options	IPS Panelling, Furniture, Walls
Material	ABS
Code	373567



#### Applications


Designed for use with Dudley Vantage and Miniflo concealed cisterns and Illusion A and V wall hung sanitary ware frames.

#### Water Saving


Dual flush operation for full and water saving reduced flush.

#### Features

- ~ Dual flush
- ~ Smooth pneumatic operation
- ~ Matt Black finish
- ~ Can be positioned up to 250mm away from the cistern
- ~ Available in other colours - please enquire.



#### Dimensional Data



#### Technical Data

Operation	Pneumatic
Pneumatic Tube Length	750mm
Required Aperture	205mm x 116mm
Mounting Options	IPS Panelling, Furniture, Walls
Material	ABS
Code	375775



#### Applications


Designed for use with Dudley Vantage and Miniflo concealed cisterns and Illusion A and V wall hung sanitary ware frames.

#### Water Saving


Dual flush operation for full and water saving reduced flush.

#### Features

- ~ Dual flush
- ~ Smooth pneumatic operation
- ~ Soft Touch Grey finish
- ~ Can be positioned up to 250mm away from the cistern
- ~ Available in other colours - please enquire.



#### Dimensional Data



#### Technical Data

Operation	Pneumatic
Pneumatic Tube Length	750mm
Required Aperture	205mm x 116mm
Mounting Options	IPS Panelling, Furniture, Walls
Material	ABS
Code	373555



#### Applications


Designed for use with Dudley Vantage and Miniflo concealed cisterns and Illusion A and V wall hung sanitary ware frames.

#### Water Saving


Dual flush operation for full and water saving reduced flush.

#### Features

- ~ Dual flush
- ~ Smooth pneumatic operation
- ~ Satin Brass finish
- ~ Can be positioned up to 250mm away from the cistern
- ~ Available in other colours - please enquire.



#### Dimensional Data



#### Technical Data

Operation	Pneumatic
Pneumatic Tube Length	750mm
Required Aperture	205mm x 116mm
Mounting Options	IPS Panelling, Furniture, Walls
Material	ABS
Code	375050