

the
sanitaryware
company





The Sanitaryware Company has been born out of 40-years market-leading washroom knowledge and expertise.

In terms of compliance, durability and design; our products will meet and exceed your requirements. We take pride in only working with high quality products and reputable business partners.

Market-leading knowledge and service

Expert product advice and guidance, with rapid response times is as integral to our business as the sanitaryware and brassware we supply.

Our partners We have sought and partnered with handpicked manufactures who share our vision for supplying a one-stop-shop solution of the highest quality to suit all sectors and budgets.

Quality Our products are sourced through established, respected and proven manufacturers.

Service We are dedicated to providing the highest level of service and professionalism to each and every project, from enquiry through to post installation.

Delivery All of our standard SanCeram products are available for collection within 24 hours and delivery within 48 hours. Please call our team for lead times on all other products.

Warranties Warranties covering our product range are:

- Ceramic products: 10 - 25 years
- Brassware: 5 - 20 years
- Sensor taps: 2 years
- Showers: 2 years

For specific product warranties contact our team.

Additional products If you can't find what you are looking for, then please contact our friendly team who will be more than happy to help with your enquiry.

Website Our full range of high quality, yet cost effective products are available at the click of a button via our online shop at www.theswc.co.uk Here you will also find Data Sheets, CAD Blocks and BIM for a wide range of our products.

If you have any questions or queries you can chat to one of our experienced team members via our online live chat facility.

WCs

Section	Page
Close coupled	6
Back to wall	9
Wall hung	12
Special care	15
Schools	19
Flushing	21

Urinals

Section	Page
Bowls	25
Flushing	29

Basins

Section	Page
Wall hung special care	33
Wall hung	36
Troughs	41
Counter top	42
Vessel	44
Undermounted	47
Semi-recessed	47
Sinks	52

Brassware

Section	Page
Healthcare	54
Sensor	55
Self-Closing	57
Monoblock	59
Tall Vessel Taps	62
Pillar Taps	63
Wall Mounted Taps	64
Bath Taps	65
Waste and Traps	66

Showers and Baths

Section	Page
Shower Packs	69
Valves	70
Shower Kits	72
Shower Heads	74
Shower Trays	75
Shower Walls & Enclosures	76
Baths	79

Doc M

Section	Page
Back to Wall WC Pack	82
Close Coupled WC Pack	84
Shower Packs	87
Grab Rails	88

Healthcare

Section	Page
HBN Stainless Steel	91
HBN Ceramic & Brassware	94



WCs

SanCeram



Doc M compliant
see pages
77-86

Chartham rimless 750 CHWC107

Description

Chartham rimless raised height (450mm to rim) universal access, open back close coupled WC pan, horizontal outlet, complete with 6/3ltr dual flush lever operated close coupled cistern. 750mm projection

Features


- Doc M compliant
- Ultra sleek modern design
- 480mm high with 750mm projection; seat sold separately
- Rimless flushing

Seat options

CHWC112: Chartham seat only – White

CHWC113: Chartham seat only – Blue

CHWC114: Chartham seat only – Dark Grey



SanCeram




Chartham std CHWC108

Description

Chartham standard height (405mm to rim open back, close coupled WC pan, horizontal outlet, complete with 6/3ltr dual flush close coupled cistern and soft close seat and cover

Features

- Sleek modern open back design for ease of installation
- Standard height and projection
- Open rim flushing



SanCeram




Chartham Beyond Rimless CHWC123

Product description

Chartham Beyond rimless comfort height (420mm to rim) open access close coupled WC pan, horizontal outlet complete with 6/3ltr dual flush close coupled cistern and soft close slim seat and cover

Features

- Sleek easy clean design
- Comfort height
- Standard projection
- Rimless flushing



SanCeram




Marden std MDWC103

Product description

Marden standard height (400mm to rim) close coupled standard height (400mm to rim) close coupled WC pan, horizontal outlet complete with 6/3ltr dual flush close coupled cistern and soft close seat and cover

Features

- Ergonomic modern styling
- Standard height and projection
- Box rim flushing



SanCeram



Langley std


LLWC106

Product description

Langley standard height (400mm to rim) close coupled WC pan, horizontal outlet, 6/3ltr dual flush close coupled cistern and soft close seat and cover

Features

- Minimalistic design
- Standard height and projection
- Rimless flushing



SanCeram



Chartham std CHWC102

Description

Chartham standard height (400mm to rim) back to wall WC pan with horizontal outlet

Features

- Ultra sleek modern open back design
- Standard height and projection
- Box rim flushing

Seat options

CHWC109: Chartham standard seat & cover

CHWC110: Chartham soft close seat & cover

SanCeram



Chartham Beyond Rimless CHWC121

Description



Chartham Beyond rimless comfort height (420mm to rim) back to wall WC pan with horizontal outlet

Features

- Sleek easy clean design
- Comfort height
- Standard projection
- Rimless flushing

Seat options

CHWC124: Chartham Beyond slim soft close seat & cover



SanCeram



Marden std
MDWC102

Description


Marden standard height (400mm to rim) back to wall WC pan with horizontal outlet

Features

- Ergonomic modern styling
- Standard height and projection
- Box rim flushing

Seat options

MDWC104: Marden soft close seat & cover



SanCeram



Langley std
LLWC102

Description


Langley standard height (400mm to rim) back to wall WC pan with horizontal outlet

Features

- Minimalistic design
- Standard height and projection
- Rimless flushing

Seat options

LLWC105: Langley soft close seat & cover



SanCeram



Langley Curve std

LLWC122

Description


Langley Curve rimless standard height (410mm to rim) back to wall WC pan with horizontal outlet

Features

- Modern and stylish design
- Standard height and projection
- Rimless flushing

Seat options

LLWC124: Langley Curve slim soft close seat & cover

iSideal
STANDARD

Concept

E0509

Description

Concept standard height (400mm to rim) back to wall WC pan, standard projection with horizontal outlet

Features

- Smooth modern design
- Standard height and projection
- Aquablade flush


Seat options

E7917: Concept soft close seat & cover

E7918: Concept standard close seat & cover

E7726: Concept slim soft close seat & cover

E7725: Concept slim standard close seat & cover



*Armitage
Shanks*



Sandringham 21

E8974

Description

Sandringham standard height (400mm to rim) back to wall WC pan, standard projection with horizontal outlet

Features

- Standard height and projection
- Open rim flushing


Seat options

E1316: Sandringham standard close seat & cover

S2985: Sandringham soft close seat & cover

E1317: Sandringham seat & cover with metal hinges

E1319: Sandringham seat only with metal hinges



SanCeram



Chartham std

CHWC101

Description

Chartham wall hung standard projection WC pan with horizontal outlet

Features

- Ultra sleek modern open back design
- Standard height and projection
- Box rim flushing


Seat options

CHWC109: Chartham standard seat & cover

CHWC110: Chartham soft close seat & cover

Essential item

- Support brackets and fixings ref. TSWC117



SanCeram



Chartham Beyond Rimless

CHWC122

Description

Chartham Beyond rimless wall hung standard projection WC pan with horizontal outlet

Features


- Ultra sleek design
- Standard projection
- Rimless flushing

Seat options

CHWC124: Chartham Beyond slim soft close seat & cover

Essential item

- Support brackets and fixings ref. TSWC117



SanCeram



Marden std

MDWC101

Description

Marden wall hung standard projection WC pan with horizontal outlet

Features


- Ergonomic modern styling
- Standard height and projection
- Box rim flushing

Seat options

MDWC104: Marden soft close seat & cover

Essential item

- Support brackets and fixings ref. TSWC117



SanCeram



Langley std
LLWC101

Description

Langley wall hung standard projection WC pan with horizontal outlet

Features


- Minimalistic design
- Standard height and projection
- Rimless flushing

Seat options

LLWC105: Langley soft close seat & cover

Essential item

- Support brackets and fixings ref. TSWC117



SanCeram



Langley Curve Rimless
LLWC121

Description

Langley Curve rimless wall hung standard projection WC pan with horizontal outlet

Features


- Modern design
- Standard projection
- Rimless flushing
- Hidden fixations
- Easy one-person stallation

Seat options

LLWC124: Langley Curve slim soft close seat & cover

Essential item

- Support brackets and fixings ref. TSWC117





Concept std

E0473

Description

Concept wall hung standard projection WC pan with horizontal outlet and Aquablade

Features

- Smooth modern design
- Standard height and projection
- Rimless Aquablade flush

Seat options

E7917: Concept soft close seat & cover


E7918: Concept standard close seat & cover

E7726: Concept slim soft close seat & cover

E7725: Concept slim standard close seat & cover

Essential item

- Support brackets and fixings ref. E0060



Sandringham std

V3910

Description

Sandringham wall mounted WC pan with horizontal outlet

Features

- Improved design and functionality
- Standard height and projection
- Open rim flushing

Seat options

E1316: Sandringham standard close seat & cover


S2985: Sandringham soft close seat & cover

E1317: Sandringham seat & cover with metal hinges

E1319: Sandringham seat only with metal hinges

Essential item

- Support brackets and fixings ref. E0060



SanCeram



Doc M compliant
see pages
77-86

HBN compliant
see pages
87-90

Chartham rimless 750 / 700 CHWC106 / CHWC105

Description

Chartham rimless raised height (450mm to rim) back to wall WC pan, extended projection with unique fully cast extended horizontal outlet and flushpipe inlet

Features

- HBN/ HTM compliant
- Doc M compliant
- 480mm high with extended projection
- Rimless flushing

Seat options

CHWC111: Chartham soft close seat and cover


CHWC112: Chartham seat only – White

CHWC113: Chartham seat only – Blue

CHWC114: Chartham seat only – Dark Grey

Product options

- **CHWC105:** 700mm projection, HBN compliant
- **CHWC106:** 750mm projection, Doc M compliant



SanCeram



HBN compliant
see pages
87-90

Chartham rimless 480 / 450 CHWC104 / CHWC103

Description

Chartham rimless (450/425mm to rim) back to wall WC pan, standard projection with horizontal outlet for ducts

Features

- 450mm/480mm high with standard projection
- Rimless flushing

Seat options

CHWC111: Chartham soft close seat and cover


CHWC112: Chartham seat only – White

CHWC113: Chartham seat only – Blue

CHWC114: Chartham seat only – Dark Grey

Product options

- **CHWC103:** Comfort height
- **CHWC104:** Ambulant height, HBN & Part M compliant



SanCeram



HBN
compliant
see pages
87-90

Chartham wall hung rimless 700 CHWC117

Description

Chartham rimless wall hung 700mm projection WC pan with horizontal outlet

Features

- HBN/HTM compliant
- Ultra-sleek easy clean design
- Extended 700mm projection
- Rimless flushing

Seat options


CHWC112: Chartham seat only – White

CHWC113: Chartham seat only – Blue

CHWC114: Chartham seat only – Dark Grey

Essential item

- Support brackets and fixings ref. TSWC117

Armitage
Shanks

Doc M
compliant
see pages
77-86

HBN
compliant
see pages
87-90

Contour 21+ rimless 750 / 700 S0437 / S0438

Description

Contour 21+ rimless raised height (450mm to rim) back to wall WC pan, 750/700mm projection with horizontal outlet

Features


- HBN and Doc M compliant pan
- Rimless flushing

Seat option

S4066: Contour 21 seat only with retaining buffers

Product options

- **S0437:** Contour 21+ 700mm projection, HBN compliant WC with Smartguard antimicrobial glaze
- **S0438:** Contour 21+ 750mm projection, HBN compliant WC with Smartguard antimicrobial glaze



SanCeram rimless technology

Rimless WC pans from SanCeram deliver ultimate hygiene control to a level suitable for use in healthcare environments.

This technology is born out of a drive to develop and improve upon advanced water technologies in order to deliver the best possible performance and function whilst remaining highly competitive on price.

Water efficiency

Pair the SanCeram rimless range of WC pans with the specifically chosen pneumatic cisterns from Thomas Dudley for advanced water savings.

These cisterns feature convertible flush volumes which, when paired with a SanCeram rimless pan, can use as little as 4 litres of water for a full flush and 2.5 litres for a half flush. These options can save around a third of your water usage, return significant cost and earn you BREEAM points.

Easy cleaning

The contoured bowl has been designed for easy cleaning. With no rim, you can effectively clean the whole surface of the toilet giving you a more hygienic result.



Specialist environments

The SanCeram rimless range of WC pans includes products designed to meet the requirements of specialist markets such as healthcare environments.

Where HBN compatible products are required, the SanCeram rimless range of WCs provides solutions that meet both the WC H and WC HD requirements.



Look for the HBN logo, shown next to compliant products in this brochure, for reassurance that these products meet the standards required for use in your specialised healthcare environment.

- A** No ledges or rim and a specialised design to ensure water is fully projected round to the front of the bowl
- B** Water drops down into the pan to cover the entire surface making it fully compliant with the Water Regulations Advisory Scheme (WRAS)
The flush performance of the pans has been tested to the regulators specification with our recommended Thomas Dudley cisterns
- C** The pan and flush outlet design ensure that the flush volume offers a complete bowl clean, without the risk of it leaving the pan

Armitage
Shanks



HBN
compliant
see pages
87-90

Contour 21+ rimless 440 / 480 S0440 / S0439HY

Description

Contour 21+ rimless back to wall WC pan, standard projection with horizontal outlet

Features


- HBN / HTM compliant option
- Doc M compliant option
- Standard projection
- Rimless flushing

Seat option

S4066: Contour 21+ seat only with retaining buffers

Product options

- **S0439:** Contour 21+ standard height
- **S0440:** Contour 21+ ambulant height with Smartguard antimicrobial glaze



Armitage
Shanks



HBN
compliant
see pages
87-90

Contour 21+ rimless std S0443

Description

Contour 21+ rimless wall hung standard projection WC pan with horizontal outlet

Features


- HBN / HTM compliant pan
- DDA compliant
- Rimless flushing

Seat option

S4066: Contour 21 seat only with retaining buffers

Essential item

- Support brackets and fixings ref. S9139



SanCeram



Shenley children's 350 SHWC101

Description


Shenley children's 350mm high back to wall WC pan with horizontal outlet

Features

- Contemporary design
- 350mm high with 480mm projection
- Box rim flushing

Seat option

SHWC102: Shenley seat only - White



Armitage
Shanks



Contour 21 schools 305

S3046

Description

Contour 21 schools 305mm high, back to wall WC pan with horizontal outlet

Features

- Available as a back to wall or close coupled option
- 305mm high and standard projection
- Open rim flushing


Seat options

S4057: Contour 21 seat only for 305mm high WC pan

S4056: Contour 21 seat & cover for 305mm high WC pan

Close coupled cistern option

S3064: Contour 21 schools close coupled cistern 6 litre push button



Armitage
Shanks



Contour 21 schools 355

S3047

Description

Contour 21 schools 355mm high, back to wall WC pan with horizontal outlet

Features

- Available as a back to wall or close coupled option
- 355mm high and standard projection
- Open rim flushing


Seat options


S4059: Contour 21 seat only for 355mm high WC pan

S4058: Contour 21 seat & cover for 355mm high WC pan

Close coupled cistern option

S3064: Contour 21 schools close coupled cistern 6 litre push button





Miniflo Concealed Cistern


Description

Miniflo concealed pneumatically operated cistern supplied with a choice of flushing controls

Features

- 6/4ltr dual flush can be easily converted to 5/3 or 4/2.6ltr dual flush with supplied baffles
- 6 litre single flush can be easily converted to 5 or 3ltrs flushing
- Push-fit flush pipe with a one piece hanging bracket
- WRAS approved internals
- H276mm x D131mm x W411mm


Product options




Miniflo cistern with single flush button, our ultra modern standard push button selection where single flush is required (ref. CIST103)



Miniflo cistern with metal vandal resistant push button. Ideal for high use or high risk applications (ref. CIST106)



Miniflo cistern with dual flush button, our ultra modern standard push button selection where dual flush is required (ref. CIST104)



Miniflo cistern with oyster push plate. Ideal in high end projects (ref. CIST107)



Miniflo cistern with palm push button. Ideal for use in schools or by the less able (ref. CIST105)



Miniflo cistern with battery powered sensor flush. Available as:
Single ref. CIST108
Dual flush ref. CIST109
Transformer to convert cistern to mains powered ref. CIST110



Mirage Concealed Lever Cistern

Description

Mirage concealed lever dual flush cistern with a choice of lever designs

Features

- Lever operated concealed cistern with water saving dual flush offering an effective flush volume of 4.5ltr from a 6/3ltr dual flush system
- Side inlet supply for ease of concealed installation
- Lever spindle can be cut to length to suit installation depths between 120mm and 145mm and have secure stops to prevent lever being turned backwards
- H 285mm x D 146mm x W 505mm


Product options



Mirage cistern with standard style cistern lever (ref. CIST101)



Mirage cistern with dimple style cistern lever. Suitable for operation by closed fist and approved for use in our SanCeram Doc M packs (ref. CIST102)



WC flushing control system

Description

The DVS no-touch flushing system is an electronically operated drop valve which replaces the traditional syphon and delivers a measured volume of water

Features

- WC flushvalve with wave on sensor (ref. WC03-002) and concealed plastic cistern (ref. WC02-011)
- 4.5ltr single flush
- Vandal proof
- Purge facility

Essential items

- WC flushvalve kit with wave on sensor ref. WC03-002
- Concealed plastic cistern kit ref. WC02-011

Product option

- WC flushvalve kit with tactile switch ref. WC03-028



WC In Wall Frame with Concealed Pneumatic Dual Flush Cistern


Description

WC frame for wall hung WC pans with dual flush square button cistern

Features

- Wall Hung WC support frame load tested to 400kg
- Effective flush volume of 4.5ltr from a 6/4ltr dual flush
- 6/4ltr flush can be quickly and easily converted to 5/3 or 4/2.6ltr dual flush before or after installation
- Frame height adjustable from 820mm – 1120mm
- Frame legs adjust to offer WC pan height fixing flexibility
- Wall & floor fixing brackets can be fixed through 180° & 360° respectively to aid installation flexibility
- Flushbend & WC pan connector clamps.
H 285mm x D 146mm x W 505mm
- Air tubes push button to be installed up to 750mm away from cistern
- Compatible with furniture, tiles, partitions and walls



Product options



WC frame & cistern with square style dual flush button (ref. CIST112)



WC frame & cistern with Oyster style dual flush plate (ref. CIST113)



Urinals



SanCeram



Chartham CHUR104

Description



Chartham exposed trap urinal with complete clean bowl design for use with either concealed or exposed cistern

Features

- Easy clean design
- H 445mm x D 330mm x W 355mm
- Exposed trap
- Top inlet and back inlet spreaders available

Essential items

- Top inlet spreader ref. CHUR105 or
Back inlet spreader ref. MDUR102
- Fixings ref. CHUR106



SanCeram




Urinal Separator CHUR107

Description

Slim urinal separator, unbranded with secure concealed hanger and fixings

Features

- Minimalistic design
- H 690mm x D 355mm x W 80mm
- Unbranded complete with fixings



SanCeram



HBN
compliant
see pages
87-90

Marden Urinal Bowl MDUR103

Description


Marden concealed trap urinal with uniquely designed spreader for complete clean, supplied with secure concealed hangers and fixings. For use with concealed cistern

Features

- HBN / HTM compliant urinal bowl
- H 560mm x D 300mm x W 310mm
- Concealed trap
- Back inlet spreader

Essential item

- Back inlet spreader ref. MDUR102



SanCeram



Marden Waterless MDUR103

Description


Marden waterless urinal

Features

- Easy clean design
- H 560mm x D 300mm x W 310mm
- Concealed trap, waterless

Additional items

- Individual waterless cartridge ref. URIN118
- Waterless cartridge, pack of 4 ref. URIN119
- Waterless cartridge pack of 12 ref. URIN120
- Waterless cartridge pack of 24 ref. URIN121
- Waterless cartridge pack of 32 ref. URIN122



SanCeram



HBN
compliant
see pages
87-90

Langley LLUR101

Description


Langley concealed trap urinal for use with concealed cistern

Features

- HBN compliant urinal bowl
- H 655mm x D 300mm x W 370mm
- Concealed trap
- Back inlet spreader

Essential items

- Back inlet spreader ref. LLUR102
- Fixings ref. LLUR103



SanCeram



Langley Waterless Urinal LLUR104

Description


Langley waterless concealed trap urinal

Features

- H 655mm x D 300mm x W 370mm
- Concealed trap
- Waterless

Additional items

- Individual waterless cartridge ref. URIN118
- Waterless cartridge, pack of 4 ref. URIN119
- Waterless cartridge pack of 12 ref. URIN120
- Waterless cartridge pack of 24 ref. URIN121
- Waterless cartridge pack of 32 ref. URIN122



Armitage
Shanks



Sanura S6100

Description


Sanura urinal bowl 500mm with top inlet and exposed bottle trap

Features

- Easy clean design
- H 500mm x D 305mm x W 390mm
- Exposed trap
- Top inlet or Back inlet spreaders available

Essential items

- Top inlet spreader ref. S6285 or Back inlet spreader ref. S6286
- Fixings ref. S9276



Armitage
Shanks



HBN
compliant
see pages
87-90

Contour S6110

Description


Contour urinal bowl 665mm with concealed trap

Features

- HBN / HTM compliant urinal bowl
- H 665mm x D 305mm x W 400mm
- Concealed trap
- Back inlet spreader

Essential items

- Back inlet spreader ref. S6286
- Fixings ref. S9275





Concealed urinal auto cistern

Description


Urinal cistern with auto syphon and petcock supply for use with urinals in concealed washrooms

Features

- Constructed from high impact polystyrene
- Supplied with petcock and autosyphon
- For use with back inlet spreaders
- Outlet centre 73mm from wall
- Supplied with one piece hanging bracket
- H 285mm x D 146mm x W 505mm

Product options

- 4.5ltr (ref. URIN101) for 1 or 2 urinal bowls
- 9.0ltr (ref. URIN102) for 3 urinal bowls
- 13.5ltr (ref. URIN103) for 4 or 5 urinal bowls



Electroflo individual urinal sensor

Description

Individual urinal sensor and solenoid valve kit to provide direct urinal flushing control without a cistern

- 15mm DC pipe interrupter required when flushing from mains water

Features


- Infra-red sensor flushes individual urinal after use
- Sensor sits neatly above the urinal bowl & can be easily installed into partitioning material & tiles
- Flushing is activated when the user has moved away
- Adjustable flushing time between 3-20 seconds
- Delivers as little as 1 litre of water per flush
- 24 hour hygiene flush
- Sensor has a range of 550mm
- Chrome plated sensor surround

Product options

- Battery powered ref. URIN108 or Mains powered ref. URIN109

Essential items

- Air break back flow preventer ref. URIN110





Dudley D Exposed Auto Urinal Cistern

Description

Exposed plastic urinal cistern with auto valve and petcock

Product options

- 4.5ltr ref. URIN104
- 9.0ltr ref. URIN105

Features

- Constructed from high impact polystyrene
- Supplied with petcock and auto syphon
- Lightweight product with superior strength for anti-vandal applications
- Long lasting high-gloss finish
- One piece hanging bracket supplied
- H 295mm x D 186mm x W 498mm



Tri-shell Exposed Auto Urinal Cistern

Description

Heavy duty exposed Tri-shell urinal cistern with auto valve and petcock

Product options

- 4.5ltr ref. URIN106
- 9.0ltr ref. URIN107

Features

- Sandwich foam moulded construction
- Exceptionally strong lightweight material for anti-vandal applications
- Outlet centre 90mm from wall
- Long lasting high-gloss finish
- One piece hanging bracket supplied
- H 516mm x D 188mm x W 287mm



Multiflo Urinal Cistern Room Sensor

Description

Urinal sensor to control the filling of auto urinals. Supplied with solenoid valve

Product options

- Battery powered ref. URIN111
- Mains powered ref. URIN112

Features

- Electronic urinal flushing system complete with an adjustable flushing time of 15-60 minute intervals
- Ceiling or wall mountable and can be retrofitted or used with new installations
- WRAS approved solenoid valve



Stainless Steel Exposed Urinal Flushpipes

Description

Stainless steel sparge pipes to suit Thomas Dudley exposed cisterns and SanCeram exposed trap urinal

Product options

- Single station ref. URIN113
- Two station ref. URIN114
- Three station ref. URIN115

Features

- Stainless steel construction complete with pipe supports and wall fixings to provide adequate bowl separation
- Push-fit flow divider for improved appearance and ease of installation
- All pipes pre-shaped and cut to meet cistern & spreader



Kinetic urinal sensor flush control

Description



Kinetic intelligent urinal flushing control kit – mains / battery powered

Features

- Infra-red sensor ideal for use with automatic cisterns & multiple station urinals
- Sensor detects user movement in the washroom and fills the cistern to flush after a pre-set time based on the traffic in the area
- Sensor detects up to 5m
- Quick and easy configuration via user friendly set up wizard in 5 minutes
- Fast fill of the cistern to capacity reduces scale build up
- Hygiene mode delivers a flush every 60 mins (max) or 12 hours if no users detected
- Economy mode delivers a flush every 40 mins (max) or 24 hours if no users detected
- Can be installed into pipework, walls or ceiling
- Control box can be installed up to 1m away from the solenoid valve
- Fitted with a 6L/min flow restrictor
- Tamper proof design

Product options

- Kinetic flushing control, White Ref. URIN123
- Kinetic flushing control, Grey Ref. URIN124





Basins

SanCeram



HBN
compliant
see pages
87-90

Doc M
compliant
see pages
77-86

Chartham 380

CHWB101/ 102

Description

Chartham 380mm wash basin, right hand taphole, no overflow or chain hole

Features

- HBN / HTM compliant
- Doc M compliant
- No overflow
- Bottom outlet for ease of maintenance
- Supplied with wall fixing kit

Product options


- Left hand taphole, no overflow or chain hole ref. CHWB101
- Right hand taphole, no overflow or chain hole ref. CHWB102

Waste options

- 1 ¼" strainer waste, un-slotted ref. TSWC102
- 1 ¼" swivel waste, un-slotted ref. TSWC104
- 1 ¼" click clack waste, un-slotted ref. TSWC108

Trap options

- 1 ¼" resealing plastic bottle trap ref. A10R
- 1 ¼" metal bottle trap ref. TSWC112
- 1 ¼" modern metal bottle trap ref. TSWC114



SanCeram



HBN
compliant
see pages
87-90

Chartham 500

CHWB105

Description

Chartham 500mm wash basin, right hand taphole, no overflow or chain hole

Features

- HBN / HTM compliant
- No overflow
- Bottom outlet for ease of maintenance
- Supplied with wall fixing kit

Product options


- Right hand taphole, no overflow or chain hole ref. CHWB105

Waste options

- 1 ¼" strainer waste, un-slotted ref. TSWC102
- 1 ¼" swivel waste, un-slotted ref. TSWC104
- 1 ¼" click clack waste, un-slotted ref. TSWC108

Trap options

- 1 ¼" resealing plastic bottle trap ref. A10R
- 1 ¼" metal bottle trap ref. TSWC112
- 1 ¼" modern metal bottle trap ref. TSWC114



SanCeram



HBN compliant
see pages 87-90

Chartham 500 BO
CHWB107

Description

Chartham 500mm back outlet basin, no tapholes, no overflow or chain hole

Features


- HBN / HTM compliant
- No taphole or overflow
- Back outlet for fully concealed pipework and fixings

Waste option

- Waste adaptor & fixing kit ref. TSWC110

Trap option

- 1 ¼" resealing plastic bottle trap ref. A10R



Armitage
Shanks



HBN compliant
see pages 87-90

Doc M compliant
see pages 77-86

Contour 21 370
S2473 / S2474

Description

Contour 21 370mm wash basin, left hand taphole, no overflow or chain hole

Features

- HBN / HTM Doc M compliant
- Doc M compliant
- No overflow
- Bottom outlet for ease of maintenance

Product options

- Left hand taphole, no overflow or chain hole ref. S2473
- Right hand taphole, no overflow or chain hole ref. S2474

Waste option


- 1 ¼" strainer waste, un-slotted ref. S8720

Trap option

- 1 ¼" resealing plastic bottle trap ref. S8910

Essential item

- Wall fixings ref. S9110





HBN compliant
see pages 87-90

Portman 21 500
S2254 / S2253

Description

Portman 21 500mm wash basin, right hand taphole, no overflow or chain hole

Features

- HBN / HTM compliant
- No overflow
- Bottom outlet for ease of maintenance

Product options

- Two tapholes, no overflow or chain hole ref. S2253
- Right hand taphole, no overflow or chain hole ref. S2254

Waste options


- 1 ¼" strainer waste, un-slotted ref. S8720
- 1 ¼" bead chain & plug waste, un-slotted ref. S8715
- 1 ¼" swivel plug waste, un-slotted ref. S8734

Trap options

- 1 ¼" resealing plastic bottle trap ref. S8910
- 1 ¼" metal bottle trap ref. S8900

Essential items

- Wall fixings ref. E0157
- IPS panel fixing set ref. E0062



HBN compliant
see pages 87-90

Contour 21 / 21+ Back Outlet
S2154 / S2155 / S0430

Description

Contour 21 500mm back outlet basin, no tapholes, no overflow or chain hole

Features

- HBN / HTM compliant
- No taphole or overflow
- Back outlet for fully concealed pipework and fixings

Product options

- 500mm no tap hole, back outlet basin ref. S215401
- 600mm no tap hole, back outlet basin ref. S215501
- Contour 21+, 500mm no tap hole back outlet basin, ref. S0430HY

Waste options


- 1 ¼" waste outlet connector ref. S8750
- 1 ¼" Contour 21+ waste kit, ref. S0386

Trap options

- 1 ¼" resealing plastic bottle trap ref. S8920

Essential items

- Concealed fixing support bracket ref. S9112
- Contour 21+ basin fixation kit, ref. S0388



SanCeram



Chartham 450

CHWB104 / CHWB103

Description

Chartham 450mm wash basin, centre taphole with overflow

Features

- Ultra sleek modern design
- Centre and two taphole options with an overflow
- Bottom outlet for ease of maintenance

Product options

- Two taphole, overflow and chain hole ref. CHWB103
- Central taphole and overflow ref. CHWB104

Waste options


- 1 ¼" strainer waste, slotted ref. TSWC101
- 1 ¼" swivel waste, slotted ref. TSWC103
- 1 ¼" plug & chain waste, slotted ref. TSWC105
- 1 ¼" click clack waste, slotted ref. TSWC107

Trap options

- 1 ¼" resealing plastic bottle trap ref. A10R
- 1 ¼" metal bottle trap ref. TSWC112
- 1 ¼" modern metal bottle trap ref. TSWC114

Pedestal options

- Full pedestal ref. CHWB110
- Half pedestal ref. CHWB111



SanCeram



Marden 420

MDWB101

Description

Marden 420mm wash basin, centre taphole with overflow

Features

- Ergonomic modern styling
- Centre taphole with an overflow
- Bottom outlet for ease of maintenance

Waste options


- 1 ¼" strainer waste, slotted ref. TSWC101
- 1 ¼" swivel waste, slotted ref. TSWC103
- 1 ¼" click clack waste, slotted ref. TSWC107

Trap options

- 1 ¼" resealing plastic bottle trap ref. A10R
- 1 ¼" metal bottle trap ref. TSWC112
- 1 ¼" modern metal bottle trap ref. TSWC114

Pedestal options

- Half pedestal ref. MDWB109



SanCeram



Marden 525
MDWB103

Description

Marden 525mm wash basin, centre taphole with overflow

Features

- Ergonomic modern styling
- Centre taphole with an overflow
- Bottom outlet for ease of maintenance

Waste options


- 1 1/4" strainer waste, slotted ref. TSWC101
- 1 1/4" swivel waste, slotted ref. TSWC103
- 1 1/4" click clack waste, slotted ref. TSWC107

Trap options

- 1 1/4" resealing plastic bottle trap ref. A10R
- 1 1/4" metal bottle trap ref. TSWC112
- 1 1/4" modern metal bottle trap ref. TSWC114

Pedestal options

- Full pedestal ref. MDWB108



SanCeram



Langley 400
LLWB101

Description

Langley 400mm wash basin, centre taphole with overflow

Features


- Minimalistic design
- Centre taphole only with an overflow
- Bottom outlet for ease of maintenance

Waste options

- 1 1/4" strainer waste, slotted ref. TSWC101
- 1 1/4" swivel waste, slotted ref. TSWC103
- 1 1/4" click clack waste, slotted ref. TSWC107

Trap options

- 1 1/4" resealing plastic bottle trap ref. A10R
- 1 1/4" metal bottle trap ref. TSWC112
- 1 1/4" modern metal bottle trap ref. TSWC114



SanCeram



Langley 500

LLWB109

Description

Langley 500mm wash basin, centre taphole with overflow

Features


- Minimalistic design
- Centre taphole only with an overflow
- Bottom outlet for ease of maintenance

Waste options

- 1 ¼" strainer waste, slotted ref. TSWC101
- 1 ¼" swivel waste, slotted ref. TSWC103
- 1 ¼" click clack waste, slotted ref. TSWC107

Trap options

- 1 ¼" resealing plastic bottle trap ref. A10R
- 1 ¼" metal bottle trap ref. TSWC112
- 1 ¼" modern metal bottle trap ref. TSWC114



SanCeram



Langley 600

LLWB110

Description

Langley 600mm wash basin, centre taphole with overflow

Features


- Minimalistic design
- Centre taphole only with an overflow
- Bottom outlet for ease of maintenance

Waste options

- 1 ¼" strainer waste, slotted ref. TSWC101
- 1 ¼" swivel waste, slotted ref. TSWC103
- 1 ¼" click clack waste, slotted ref. TSWC107

Trap options

- 1 ¼" resealing plastic bottle trap ref. A10R
- 1 ¼" metal bottle trap ref. TSWC112
- 1 ¼" modern metal bottle trap ref. TSWC114



SanCeram



Shenley 450

SHWB101

Description

Shenley 450mm slimline basin, right hand taphole with overflow

Features


- Contemporary design
- Right hand taphole with an overflow
- Bottom outlet for ease of maintenance

Waste options

- 1 ¼" strainer waste, slotted ref. TSWC101
- 1 ¼" swivel waste, slotted ref. TSWC103
- 1 ¼" click clack waste, slotted ref. TSWC107

Trap options

- 1 ¼" resealing plastic bottle trap ref. A10R
- 1 ¼" metal bottle trap ref. TSWC112
- 1 ¼" modern metal bottle trap ref. TSWC114



SanCeram



Marden Cloakroom

MDWB114

Description

Marden cloakroom wall hung basin, single tap hole with overflow.

Features

- Modern design
- Single taphole with an overflow
- Bottom outlet for ease of maintenance
- Ideal for use in areas where space is a premium

Waste options


- 1 ¼" strainer waste, slotted ref. TSWC101
- 1 ¼" swivel waste, slotted ref. TSWC103
- 1 ¼" click clack waste, slotted ref. TSWC107

Trap options

- 1 ¼" resealing plastic bottle trap ref. A10R
- 1 ¼" metal bottle trap ref. TSWC112
- 1 ¼" modern metal bottle trap ref. TSWC114

Essential items

- Wall fixings ref. WBKIT01





Concept Sphere 450

E8055

Description

Concept sphere 450mm wash basin, centre taphole with overflow

Features

- Smooth modern design
- Centre taphole with an overflow
- Bottom outlet for ease of maintenance

Waste options


- 1 ¼" strainer waste, slotted ref. S8722
- 1 ¼" swivel plug waste, slotted ref. S8734

Trap options

- 1 ¼" resealing plastic bottle trap ref. S8910
- 1 ¼" metal bottle trap ref. S8900

Essential items

- Wall fixings ref. E0157



SanCeram

Marden Pedestal

MDWB108/ 109

Description

Marden pedestal

Features

- Unbranded


Product options

- Full pedestal 715mm high ref. MDWB108
- Semi pedestal 345mm high ref. MDWB109



MDWB108

MDWB109



SanCeram

Chartham Pedestal

CHWB110 / 111

Description

Chartham pedestal

Features

- Unbranded


Product options

- Full pedestal 670mm high ref. CHWB110
- Semi pedestal 375mm high ref. CHWB111



CHWB110

CHWB111



SanCeram



SanCeram Solid Surface Washtrough
SCTR101/ SCTR102/ SCTR103/ SCTR104

Description

SanCeram white solid surface washtrough

Features

- Strong, robust and repairable material
- Single left handed waste outlet point
- Standard sizes ideal for 2 or 3 tap stations
- Profiles for deck or wall mounted taps
- Wall mounted installation

Product options

- 1200mm long for wall mounted taps ref. SCTR101
- 1200mm long for deck mounted taps ref. SCTR102
- 1800mm long for deck mounted taps ref. SCTR103
- 1800mm long for wall mounted taps ref. SCTR104

Waste options


- 1 1/2" strainer waste, unslotted ref. TSWC109

Trap options

- 1 1/2" resealing plastic bottle trap ref. C10R

Essential items

- Cantilever brackets for wall mounted tap troughs ref. 0600220
- Cantilever brackets for deck mounted tap troughs ref. 0600226



SanCeram



Chartham 530
CHWB112

Description

Chartham 530mm counter top vanity basin, centre taphole with an overflow

Features


- Minimalistic design
- Centre taphole with an overflow
- Bottom outlet for ease of maintenance

Waste options

- 1 1/4" strainer waste, slotted ref. TSWC101
- 1 1/4" swivel waste, slotted ref. TSWC103
- 1 1/4" click clack waste, slotted ref. TSWC107

Trap options

- 1 1/4" resealing plastic bottle trap ref. A10R
- 1 1/4" metal bottle trap ref. TSWC112
- 1 1/4" modern metal bottle trap ref. TSWC114



SanCeram

**Marden 560**

MDWB107

Description

Marden 560mm counter top vanity basin, no taphole with overflow

Features

- Ergonomic modern styling
- No taphole
- Overflow
- Install inset to counter or under mounted
- Bottom outlet for ease of maintenance

Waste options


- 1 ¼" strainer waste, slotted ref. TSWC101
- 1 ¼" swivel waste, slotted ref. TSWC103
- 1 ¼" click clack waste, slotted ref. TSWC107

Trap options

- 1 ¼" resealing plastic bottle trap ref. A10R
- 1 ¼" metal bottle trap ref. TSWC112
- 1 ¼" modern metal bottle trap ref. TSWC114

Essential item

- Overflow adapter ref. TSWC111



SanCeram

**Shenley 500**

SHWB103/ 104

Description

Shenley 500mm counter top vanity basin, centre taphole with overflow

Features

- Contemporary design
- Centre and two taphole options with an overflow
- Bottom outlet for ease of maintenance

Product options


- Centre tap hole with overflow ref. SHWB103
- Two tapholes with overflow and chain hole ref. SHWB104

Waste options

- 1 ¼" strainer waste, slotted ref. TSWC101
- 1 ¼" swivel waste, slotted ref. TSWC103
- 1 ¼" plug & chain waste, slotted ref. TSWC105
- 1 ¼" click clack waste, slotted ref. TSWC107

Trap options

- 1 ¼" resealing plastic bottle trap ref. A10R
- 1 ¼" metal bottle trap ref. TSWC112
- 1 ¼" modern metal bottle trap ref. TSWC114



Armitage
Shanks



Orbit 21 550

S2488 / S2487

Description

Orbit 21 550mm counter top vanity basin, two taphole, overflow and chain hole

Features

- Clean design
- Centre and two taphole options with an overflow
- Bottom outlet for ease of maintenance

Product options

- Centre taphole with overflow and chain hole ref. S2487
- Two tap holes with overflow and chain hole ref. S488

Waste options

- 1 ¼" bead chain & plug waste, slotted ref. S8800
- 1 ¼" strainer waste, slotted ref. S8722

Trap options

- 1 ¼" resealing plastic bottle trap ref. S8910
- 1 ¼" metal bottle trap ref. S8900

Armitage
Shanks



Sandringham 21 500

E8952 / E8953

Description

Sandringham 21 500mm counter top vanity basin with overflow and no chain hole

Features

- Clean design
- Centre and two taphole options with an overflow
- Bottom outlet for ease of maintenance

Product options




- Centre taphole and overflow ref. E8952
- Two tap holes, overflow and chain hole ref. E8953

Waste options

- 1 ¼" bead chain & plug waste, slotted ref. S8800
- 1 ¼" strainer waste, slotted ref. S8722

Trap options

- 1 ¼" resealing plastic bottle trap ref. S8910
- 1 ¼" metal bottle trap ref. S8900



SanCeram



Chartham Vessel

CHWB120

Description

Chartham countertop vessel basin, no tap hole or overflow

Features


- Contemporary design
- No taphole or overflow
- Install to sit on countertop
- Bottom outlet for ease of maintenance

Waste options

- 1 1/4" strainer waste, un-slotted ref. TSWC102
- 1 1/4" swivel waste, un-slotted ref. TSWC104
- 1 1/4" click clack waste, un-slotted ref. TSWC108
- 1 1/4" ceramic topped click clack waste, un-slotted ref. TSWC121

Trap options

- 1 1/4" resealing plastic bottle trap ref. A10R
- 1 1/4" metal bottle trap ref. TSWC112
- 1 1/4" modern metal bottle trap ref. TSWC114



SanCeram



Langley vessel

LLWB108

Description

Langley vessel basin

Features


- Minimalistic design
- No taphole or overflow
- Bottom outlet for ease of maintenance

Waste options

- 1 1/4" strainer waste, un-slotted ref. TSWC102
- 1 1/4" swivel waste, un-slotted ref. TSWC104
- 1 1/4" click clack waste, un-slotted ref. TSWC108
- 1 1/4" ceramic topped click clack waste, un-slotted ref. TSWC121

Trap options

- 1 1/4" resealing plastic bottle trap ref. A10R
- 1 1/4" metal bottle trap ref. TSWC112
- 1 1/4" modern metal bottle trap ref. TSWC114



SanCeram



Marden Square 460

MDWB111 / MDWB112

Description

Marden 460mm countertop / wall hung basin, central tap hole with overflow

Features

- Modern design
- Centre and no taphole options with an overflow
- Install as vessel or wall hung
- Bottom outlet for ease of maintenance

Product options


- Marden 460mm vessel / wall hung basin, central tap hole with overflow ref. MDWB111
- Marden 460mm vessel / wall hung basin, no tap hole with overflow ref. MDWB112

Waste options

- 1 ¼" strainer waste, slotted ref. TSWC101
- 1 ¼" swivel waste, slotted ref. TSWC103
- 1 ¼" click clack waste, slotted ref. TSWC107
- 1 ¼" ceramic topped click clack waste, un-slotted ref. TSWC121

Trap options

- 1 ¼" resealing plastic bottle trap ref. A10R
- 1 ¼" metal bottle trap ref. TSWC112
- 1 ¼" modern metal bottle trap ref. TSWC114



SanCeram



Langley Round 420 Vessel

LLWB122

Description

Langley round vessel basin, no tap holes or overflow

Features


- Contemporary slim style appearance
- Modern design
- No overflow
- Install to sit on countertop
- Bottom outlet for ease of maintenance

Waste options

- 1 ¼" strainer waste, un-slotted ref. TSWC102
- 1 ¼" swivel waste, un-slotted ref. TSWC104
- 1 ¼" click clack waste, un-slotted ref. TSWC108
- 1 ¼" ceramic topped click clack waste, un-slotted ref. TSWC121

Trap options

- 1 ¼" resealing plastic bottle trap ref. A10R
- 1 ¼" metal bottle trap ref. TSWC112
- 1 ¼" modern metal bottle trap ref. TSWC114



SanCeram



Langley Oval 550 Vessel LLWB123

Description

Langley oval vessel basin, no tap holes or overflow

Features


- Contemporary design
- No overflow
- Install to sit on countertop
- Bottom outlet for ease of maintenance

Waste options

- 1 ¼" strainer waste, un-slotted ref. TSWC102
- 1 ¼" swivel waste, un-slotted ref. TSWC104
- 1 ¼" click clack waste, un-slotted ref. TSWC108
- 1 ¼" ceramic topped click clack waste, un-slotted ref. TSWC121

Trap options

- 1 ¼" resealing plastic bottle trap ref. A10R
- 1 ¼" metal bottle trap ref. TSWC112
- 1 ¼" modern metal bottle trap ref. TSWC114



SanCeram



Langley Rectangular 500 Vessel LLWB121

Description

Langley rectangular vessel basin, no tap holes or overflow

Features


- Contemporary slim style appearance
- Modern design
- No overflow
- Install to sit on countertop
- Bottom outlet for ease of maintenance

Waste options

- 1 ¼" strainer waste, un-slotted ref. TSWC102
- 1 ¼" swivel waste, un-slotted ref. TSWC104
- 1 ¼" click clack waste, un-slotted ref. TSWC108
- 1 ¼" ceramic topped click clack waste, un-slotted ref. TSWC121

Trap options

- 1 ¼" resealing plastic bottle trap ref. A10R
- 1 ¼" metal bottle trap ref. TSWC112
- 1 ¼" modern metal bottle trap ref. TSWC114



SanCeram



Langley 400
LLWB107

Description

Langley 400mm diameter under counter basin, with overflow

Features

- Minimalistic design
- No taphole with overflow
- Bottom outlet for ease of maintenance

Waste options


- 1 1/4" strainer waste, slotted ref. TSWC101
- 1 1/4" swivel waste, slotted ref. TSWC103
- 1 1/4" plug & chain waste, slotted ref. TSWC105
- 1 1/4" click clack waste, slotted ref. TSWC107

Trap options

- 1 1/4" resealing plastic bottle trap ref. A10R
- 1 1/4" metal bottle trap ref. TSWC112
- 1 1/4" modern metal bottle trap ref. TSWC114

Essential items

- Overflow adapter ref. TSWC111



SanCeram



Chartham 450
CHWB108 / CHWB109

Description

Chartham 450mm semi-recessed vanity basin, right hand taphole with overflow

Features

- Ultra sleek modern design
- Right hand and two taphole options with an overflow
- Bottom outlet for ease of maintenance

Product options


- Two tapholes, overflow and chain hole ref. CHWB108
- Right hand tap hole and overflow ref. CHWB109

Waste options

- 1 1/4" strainer waste, slotted ref. TSWC101
- 1 1/4" swivel waste, slotted ref. TSWC103
- 1 1/4" plug & chain waste, slotted ref. TSWC105
- 1 1/4" click clack waste, slotted ref. TSWC107

Trap options

- 1 1/4" resealing plastic bottle trap ref. A10R
- 1 1/4" metal bottle trap ref. TSWC112
- 1 1/4" modern metal bottle trap ref. TSWC114



SanCeram



Marden 520

MDWB105 / MDWB106

Description

Marden 520mm semi-recessed vanity basin, centre taphole and overflow

Features

- Ergonomic modern styling
- Centre and two taphole options with an overflow
- Bottom outlet for ease of maintenance

Product options


- Central tap hole with overflow ref. MDWB105
- Two tapholes with overflow & chain hole ref. MDWB106

Waste options

- 1 ¼" strainer waste, slotted ref. TSWC101
- 1 ¼" swivel waste, slotted ref. TSWC103
- 1 ¼" plug & chain waste, slotted ref. TSWC105
- 1 ¼" click clack waste, slotted ref. TSWC107

Trap options

- 1 ¼" resealing plastic bottle trap ref. A10R
- 1 ¼" metal bottle trap ref. TSWC112
- 1 ¼" modern metal bottle trap ref. TSWC114



SanCeram



Marden Square 460

MDWB113

Description

Marden Square 460mm semi-recessed vanity basin, centre taphole with overflow

Features


- Modern design
- Centre taphole only with an overflow
- Bottom outlet for ease of maintenance

Waste options

- 1 ¼" strainer waste, slotted ref. TSWC101
- 1 ¼" swivel waste, slotted ref. TSWC103
- 1 ¼" click clack waste, slotted ref. TSWC107

Trap options

- 1 ¼" resealing plastic bottle trap ref. A10R
- 1 ¼" metal bottle trap ref. TSWC112
- 1 ¼" modern metal bottle trap ref. TSWC114



SanCeram



Langley 500

LLWB104

Description

Langley 500mm semi-recessed vanity basin, centre taphole with overflow

Features


- Minimalistic design
- Centre taphole only with an overflow
- Bottom outlet for ease of maintenance

Waste options

- 1 1/4" strainer waste, slotted ref. TSWC101
- 1 1/4" swivel waste, slotted ref. TSWC103
- 1 1/4" click clack waste, slotted ref. TSWC107

Trap options

- 1 1/4" resealing plastic bottle trap ref. A10R
- 1 1/4" metal bottle trap ref. TSWC112
- 1 1/4" modern metal bottle trap ref. TSWC114



SanCeram



Shenley 400

SHWB105 / SHWB106

Description

Shenley 400mm slim projection semi-recessed vanity basin, right hand taphole with overflow

Features

- Ultra sleek modern design
- Right hand and two taphole options with an overflow
- Bottom outlet for ease of maintenance

Product options


- Right hand tap hole with overflow ref. SHWB105
- Two taphole with an overflow and chain hole ref. SHWB106

Waste options

- 1 1/4" strainer waste, slotted ref. TSWC101
- 1 1/4" swivel waste, slotted ref. TSWC103
- 1 1/4" plug & chain waste, slotted ref. TSWC105
- 1 1/4" click clack waste, slotted ref. TSWC107

Trap options

- 1 1/4" resealing plastic bottle trap ref. A10R
- 1 1/4" metal bottle trap ref. TSWC112
- 1 1/4" modern metal bottle trap ref. TSWC114

Armitage
Shanks

Sandringham 21 500

E8958 / E8959

Description

Sandringham 500mm semi-recessed vanity basin, centre taphole with overflow

Features

- Clean design
- Centre and two taphole options with an overflow
- Bottom outlet for ease of maintenance

Product options


- Central tap hole with overflow ref. E8958
- Two tapholes with overflow and chain hole ref. E8959

Waste options

- 1 1/4" strainer waste, slotted ref. S8722
- 1 1/4" swivel plug waste, slotted ref. S8734

Trap options

- 1 1/4" resealing plastic bottle trap ref. S8920
- 1 1/4" metal bottle trap ref. S8900



Armitage
Shanks



Profile 21 500

S2492/ S2494

Description

Profile 500mm semi-recessed vanity basin, centre taphole and overflow

Features

- Smooth modern design
- Centre and two taphole options with an overflow
- Bottom outlet for ease of maintenance

Product options


- Central tap hole with overflow ref. S2492
- Two tapholes with overflow and chain hole ref. S2494

Waste options

- 1 1/4" strainer waste, slotted ref. S8722
- 1 1/4" swivel plug waste, slotted ref. S8734

Trap options

- 1 1/4" resealing plastic bottle trap ref. S8920
- 1 1/4" metal bottle trap ref. S8900



iSideal
STANDARD



Concept Space 500

E7799 / E7797

Description

Concept Space 500mm short projection semi-recessed vanity basin, right hand taphole with overflow

Features

- Space saving design
- Right hand taphole and overflow
- Bottom outlet for ease of maintenance

Product options


- Right hand tap hole with overflow ref. E7799
- Two tapholes with overflow and chain hole ref. E7797

Waste options

- 1 1/4" strainer waste, slotted ref. S8722
- 1 1/4" swivel plug waste, slotted ref. S8734

Trap options

- 1 1/4" resealing plastic bottle trap ref. S8910
- 1 1/4" metal bottle trap ref. S8900



SanCeram

**Chartham Cleaners Sink**

CHSK101

Description

Chartham 520mm fireclay cleaner's sink with 250mm high back

Features

- H 490mm x D 390mm x W 520mm
- Grate (ref. CHSK102) and fixings (ref. CHSK103N) available, sold separately

Associated items


- Stainless steel sink grate ref. CHSK102
- Stainless steel legs & aluminium bearer pack ref. CHSK103N

Waste option

- 1 ½" strainer waste, unslotted ref. TSWC109

Trap option

- 1 ½" resealing plastic bottle trap ref. C10R



SanCeram

**Chartham Belfast Sink**

CHSK104

Description

Chartham 595mm belfast sink

Features


- H 250mm x D 455mm x W 595mm
- Built in overflow
- To be inset into a worktop

Waste option

- 1 ½" strainer waste, unslotted ref. TSWC109

Trap option

- 1 ½" resealing plastic bottle trap ref. C10R



Brassware



SanCeram



HBN Thermostatic sensor SCBW112 / SCBW123

Description

Sensor operated safe touch thermostatic panel mounted mixer tap designed for the healthcare environment.

Technical Specification

Max operating pressure: 10 bar static
Min operating pressure: 1.0 bar dynamic
Max inlet temperature: 85°C
Pre-set factory temperature: 41°C

Product Options

- With fixed spout ref. SCBW112
- With removable spout ref. SCBW123

Compatible Extras

- Purge kit ref. SCBW117
- Transformer to mains power ref. SCBW116

Features

- HBN / HTM compliant
- WRAS approved
- TMV3 approved
- Full safe touch body
- Remote sensor operated
- Sterilisation function
- 24 hour hygiene flush
- Battery powered
- 5ltr/min flow regulars fitted

HBN
compliant
see pages
87-90

SanCeram



HBN Thermostatic lever SCBW111 / SCBW122

Description

Lever operated safe touch thermostatic panel mounted mixer tap designed for the healthcare environment

Technical Specification

Max operating pressure: 10 bar static
Min operating pressure: 1.0 bar dynamic
Max inlet temperature: 85°C
Pre-set factory temperature: 41°C

Product Options

- With fixed spout ref. SCBW111
- With removable spout ref. SCBW122

Compatible Extras

- Purge kit ref. SCBW117

Features

- HBN / HTM compliant
- WRAS approved
- TMV3 approved
- Full safe touch body
- Lever operated
- Long paddle lever for ease of operation
- Sterilisation function
- 5ltr/min flow regulars fitted

HBN
compliant
see pages
87-90

Armitage
Shanks

Markwik 21+ A6682/ A6735/ A6684/ A6737

Description

Markwik 21+ panel mounted bib mixer with integral thermostat, sensor or sequential lever operated horizontal single flow nozzle

Technical Specification

Max operating pressure: 10 bar static
Min operating pressure: 1.0 bar dynamic
Max inlet temperature: 65°C

Product Options

- Lever with fixed spout ref. A6735
- Lever with removable spout ref. A6682
- Time flow sensor with fixed spout A6737
- Time flow sensor with removable spout ref. A6684

Features

- HBN / HTM compliant
- WRAS approved
- TMV3 approved
- Full safe touch body
- Sterilisation function
- 10ltr/min flow maximum
- Disinfection feature available
- Bioguard anti-pseudomonas outlet
- Mains powered

HBN
compliant
see pages
87-90

SanCeram



Deck Mounted Sensor Tap SCBW119

Description

SanCeram deck mounted sensor tap for pre-mixed water

Technical Specification

Max operating pressure: 8.0 bar static
Min operating pressure: 1.0 bar dynamic
Max inlet temperature: 65°C

Compatible Extras

- Transformer to mains power ref. SCBW116

Features

- DDA compliant
- WRAS approved
- Battery powered
- Hygienic no touch
- Water saving
- 24 hour hygiene flush
- 6ltr/min flow regulator included

*Armitage
Shanks*



Sensorflow 21 A4171

Description

Sensorflow 21 basin mounted spout with built-in sensor, for pre-mixed water.

Technical Specification

Max operating pressure: 5.0 bar
Min operating pressure: 0.2 bar

Product Options

- Sensorflow 21tap mains link version ref. A4172
- Sensorflow 21 tap, battery powered ref. A4122

Features

- DDA compliant
- Mains powered
- Hygienic no touch
- Water saving
- 3.7ltr/min flow regulator included

*Armitage
Shanks*



Sensorflow 21 Compact A4852

Description

Sensorflow 21 compact basin mounted spout with built-in sensor, for pre-mixed water

Technical Specification

Max operating pressure: 5.0 bar
Min operating pressure: 0.2 bar

Product Options

- Sensorflow 21 compact mains link version ref. A4853
- Sensorflow 21 compact, battery powered ref. A4851

Features

- DDA compliant
- Mains powered
- Hygienic no touch
- Water saving
- 3.7ltr/min flow regulator included

DEVA



Deck Mounted Temperature Adjustment Sensor Tap SENSOR6/BT

Description

Deck mounted sensor tap with temperature control

Technical Specification

Max operating pressure: 5.0 bar
Min operating pressure: 0.5 bar

Features

- WRAS approved
- Temperature adjustment lever
- Battery powered only
- Battery operation required 4 x AA batteries
- Hygienic no touch
- Water saving




Sensor basin SENSOR 1/D

Description

Chrome sensor basin mono for pre-mixed water

Technical Specification

Max operating pressure: 5.0 bar
Min operating pressure: 0.5 bar

Features

- DDA compliant
- Mains or battery powered, items for both options supplied
- Battery operation required 4 x AA batteries
- Scratch resistant sensor window
- Moisture and water resistant control box




Aquarius A45 AT03-011

Description

Modern and simple design sensor tap for the ultimate in hygiene levels

Technical Specification

Max operating pressure: 6.0 bar
Min operating pressure: 1.0 bar

Required Extras

- Battery power single station kit ref. AT00-001
- Mains power single station kit ref. AT00-002

Features

- Stainless Steel construction
- Hygienic no touch
- Requires station kit to operate
- Mains or battery powered station kits available
- Low pressure station kits available




Aquarius wall mount straight AT02-001

Description

Wall mounted sensor tap for the ultimate in hygiene levels 150mm projection

Technical Specification

Max operating pressure: 6.0 bar
Min operating pressure: 1.0 bar

Required Extras

- Battery power single station kit ref. AT00-001
- Mains power single station kit ref. AT00-002

Features

- Stainless Steel construction
- Hygienic no touch
- Mains or battery powered station kits available
- Low pressure station kits available




Wall mount sensor tap SENSOR9/W

Description

Wall mounted sensor tap for pre-mixed water

Technical Specification

Max operating pressure: 5.0 bar
Min operating pressure: 0.5 bar

Features

- DDA compliant
- Mains or battery powered, items for both options supplied
- Battery operation required 4 x AA batteries
- 230mm projection
- Scratch resistant sensor window
- Moisture and water resistant control box

SanCeram



Basin mounted self closing mixer SCBW106

Description

Non-concussive basin tap with adjustable temperature control

Technical Specification

Max operating pressure: 5.0 bar
Min operating pressure: 0.5 bar

Features

- DDA compliant
- Easy operation handle to adjust temperature
- Press action operation
- 15 second flow time at 1 bar pressure

SanCeram



Self closing toggle SCBW107

Description

Self closing toggle single pillar tap, for pre-mixed water

Technical Specification

Max operating pressure: 10.0 bar static
Min operating pressure: 0.1 bar dynamic

Features

- DDA compliant
- WRAS approved
- Simple smooth operation
- 15 second flow time at 1 bar pressure
- Flow regulars available

Armitage
Shanks

Avon 21 self closing B8263

Description

Avon 21 self closing mono basin mixer with temperature control

Technical Specification

Max operating pressure: 10.0 bar static
Min operating pressure: 0.5 bar dynamic

Features

- DDA compliant
- WRAS approved
- Temperature adjusted non concussive tap
- Water saving
- Anti vandal outlet
- 3.7ltr/min flow regulator included

DEVA



Vision self closing mixer VSN123

Description

Vision self closing mono basin mixer for pre-mixed water

Technical Specification

Max operating pressure: 5.0 bar
Min operating pressure: 0.3 bar

Features

- DDA compliant
- Easy press action operation
- Tamper proof
- 10 second flow time at 1 bar pressure
- For use with blended water

SanCeram



Contemporary press action taps SCBW124

Description

Pair of non-concussive contemporary basin tap

Technical Specification

Max operating pressure: 10.0 bar static
Min operating pressure: 0.2 bar dynamic

Features

- Simple press action operation
- WRAS approved
- 15 second flow time at 1 bar pressure

Armitage
Shanks



Avon 21 self closing B8267

Description

Avon 21 pair of self closing basin pillar taps

Technical Specification:

Max operating pressure: 10.0 bar
Min operating pressure: 0.5 bar

Features

- DDA compliant
- Non concussive pillar taps
- Water saving
- Anti-vandal
- 3.7ltr/min flow at 3 bar pressure

Armitage
Shanks



Sandringham 21 self closing S0672AA

Description

Pair of Sandringham self closing basin pillar taps

Technical Specification

Max operating pressure: 5.0 bar
Min operating pressure: 1.0 bar

Features

- DDA compliant
- Non concussive pillar taps
- Water saving
- 4ltr/min flow at regulators supplied
- Typical run time of 12-16 seconds

DEVA



Self closing NCT001

Description

Pair of self closing deck pillar basin taps

Technical Specification

Max operating pressure: 3.0 bar
Min operating pressure: 0.1 bar

Features

- DDA compliant
- WRAS Approved
- Non concussive taps with a 10 second shut off
- Water saving

SanCeram



Chartham Mono basin mixer SCBW101

Description

Chartham deck mounted mono basin mixer tap with press top waste

Technical Specification

Max operating pressure: 5.0 bar
Min operating pressure: 0.2 bar

Features

- WRAS Approved
- Minimalistic design
- Complete with a press top waste
- Ceramic cartridge
- Adjustable directional aerator
- 7ltr/min flow regulator included

SanCeram



Marden Mono basin mixer MDBW101

Description

Marden deck mounted mono basin mixer tap

Technical Specification

Max operating pressure: 5.0 bar
Min operating pressure: 0.2 bar

Features

- WRAS Approved
- Minimalistic design
- Slim stream aerator

SanCeram



Langley Mono basin mixer LLBW104

Description

Langley deck mounted mono basin mixer tap

Technical Specification:

Max operating pressure: 5.0 bar
Min operating pressure: 0.2 bar

Features

- WRAS Approved
- Minimalistic design
- Water flow aerator
- Press top waste included

SanCeram



Sequential TMV3 mixer SCBW120

Description

Sequential thermostatic basin mixer tap suitable for hand or wrist operation

Technical Specification:

Max operating pressure: 5.0 bar
Min operating pressure: 0.2 bar

Compatible Extras

- Copper tail pack ref. SCBW115

Features

- TMV3 approved
- HBN / HTM compliant (when installed with copper tails)
- WRAS approved
- Safe touch body
- Self draining spout
- 5ltr/min flow regulators fitted

HBN
compliant
see pages
87-90



SanCeram

Hartley Mono basin mixer HABW101**Description**

Hartley deck mounted mono basin mixer tap

Technical Specification

Max operating pressure: 5.0 bar

Min operating pressure: 0.2 bar

Features

- Minimalistic design
- Ceramic cartridge
- Adjustable directional aerator
- Available in 3 finishes

Product Options

- Chrome finish ref. HABW101
- Matt Black finish ref. HABW101B
- Brushed Nickel finish ref. HABW101N

ChromeMatt BlackBrushed Nickel

DEVA

Adore basin mixer ADORE113-EK**Description**

Enviro-click basin mixer tap with press-top waste

Technical Specification

Max operating pressure: 2.0 bar

Min operating pressure: 0.2 bar

Features

- WRAS approved
- Lever operation
- Tilt & turn temperature & flow control
- Complete with press top waste
- Ceramic cartridge
- 2 Step Eco-cartridge



DEVA

Adore mini basin mixer ADORE313**Description**

Mini mono basin mixer tap

Technical Specification:

Max operating pressure: 5.0 bar

Min operating pressure: 0.3 bar

Features

- WRAS approved
- Lever operation
- Tilt & turn temperature & flow control
- Compact design ideal for use with small basins





Insignia mono basin mixer INS113

Description

Insignia tilt and turn lever action mono basin mixer with press-top waste

Technical Specification

Max operating pressure: 5.0 bar
Min operating pressure: 0.2 bar

Features

- WRAS Approved
- Lever operation
- Tilt & turn temperature and flow control
- Flow regulators available



Swoop luxury lever MK2 SWO2113

Description

Swoop luxury tilt and turn lever action mono basin mixer with press top waste

Technical Specification:

Max operating pressure: 5.0 bar
Min operating pressure: 0.3 bar

Features

- Ultra modern design
- Lever operation
- Complete with a press top waste
- Tilt and turn flow and temperature control
- Flow regulators available



Vision lever VSN113

Description

Vision deck mounted mono basin mixer tap with press top waste

Technical Specification:

Max operating pressure: 5.0 bar
Min operating pressure: 0.3 bar

Features

- Modern design
- Tilt & turn temperature and flow control
- Supplied with press top waste
- Flow regulators available



Swoop luxury lever MK2 SWO2113EX

Description

Swoop tall luxury tilt and turn lever action mono basin mixer

Technical Specification:

Max operating pressure: 5.0 bar
Min operating pressure: 0.3 bar

Features

- Ultra modern design
- Lever operation
- Complete with a press top waste
- Tilt and turn flow and temperature control
- Flow regulators available

DEVA



Sensor tall SENSOR 3/D

Description

Luxury tall sensor vessel mono tap for pre-mixed water

Technical Specification:

Max operating pressure: 5.0 bar
Min operating pressure: 0.5 bar

Features

- DDA compliant
- Mains or battery powered, items for both options supplied
- Battery operation required 4 x AA batteries
- Scratch resistant sensor window
- Moisture and water resistant control box

SanCeram



Hartley tall mono basin mixer HABW102

Description

Harley tall mono basin mixer tap

Technical Specification

Max operating pressure: 5.0 bar
Min operating pressure: 0.2 bar

Product Options

- Chrome finish ref. HABW102
- Matt Black finish ref. HABW102B
- Brushed Nickel finish ref. HABW102N

Features

- Minimalist slim design
- Adjustable directional aerator and key
- Supplied with fixing kit and stabilizing bracket
- Available in 3 finishes

SanCeram



Langley tall mono basin mixer LLBW105

Description

Langley tall mono basin mixer tap

Technical Specification:

Max operating pressure: 5.0 bar
Min operating pressure: 0.2 bar

Features

- Minimalist design
- With water flow aerator
- Supplied with fixing kit

SanCeram



Marden tall mono basin mixer MDBW102

Description

Marden tall mono basin mixer tap

Technical Specification

Max operating pressure: 5.0 bar
Min operating pressure: 0.2 bar

Features

- Minimalist design
- With water flow aerator
- Supplied with fixing kit
- WRAS approved

DEVA



DLT Short lever DLT101

Description

Pair of quarter turn short lever basin pillar taps

Technical Specification

Max operating pressure: 5.0 bar
Min operating pressure: 0.1 bar

Features

- HBN and DDA compliant
- WRAS Approved
- Quarter turn lever control
- Ceramic disc
- Regulators available to reduce flow rate

HBN
compliant
see pages
87-90

Armitage
Shanks

Sandringham 21 lever B9881

Description

Pair of Sandringham lever basin pillar taps

Technical Specification

Max operating pressure: 10.0 bar
Min operating pressure: 0.2bar

Features

- DDA compliant
- WRAS Approved
- Quarter turn lever control
- Ceramic disc
- Regulators available to reduce flow rate

Armitage
Shanks

Piccolo 21 lever B8262

Description

Pair of Piccolo 21 short lever basin pillar taps

Technical Specification

Max operating pressure: 10.0 bar
Min operating pressure: 0.3bar

Features

- HBN and DDA compliant
- WRAS Approved
- Quarter turn lever control
- Short lever pillar taps
- 5ltr/min flow at 3 bar pressure

HBN
compliant
see pages
87-90

DEVA



Insignia Lever INS101

Description

Pair of Insignia quarter turn lever basin pillar taps

Technical Specification

Max operating pressure: 5.0 bar
Min operating pressure: 0.2bar

Features

- WRAS Approved
- Modern design
- Quarter turn lever control
- Ceramic disc
- Regulators available to reduce flow rate

DEVA



Lever bib DLT095

Description

Pair of quarter turn lever action wall mounted bib taps

Technical Specification

Max operating pressure: 5.0 bar
Min operating pressure: 0.1 bar

Compatible Extras

- 6" Lever handles ref: DLV002

Features

- HBN compliant
- WRAS Approved
- Quarter turn lever control
- Ceramic disc
- Longer 6" levers available

HBN
compliant
see pages
87-90

DEVA



Vision wall mounted VSN122

Description

Vision wall mounted basin mixer tap

Technical Specification:

Max operating pressure: 5.0 bar
Min operating pressure: 0.3 bar

Features

- WRAS Approved
- Lever operation
- Tilt & turn temperature & flow control
- Separate spout & operating control

SanCeram



Hartley wall mounted basin mixer HABW103

Description

Harley wall mounted basin mixer tap

Technical Specification

Max operating pressure: 5.0 bar
Min operating pressure: 0.2 bar

Product Options

- Chrome finish ref. HABW103
- Matt Black finish ref. HABW103B
- Brushed Nickel finish ref. HABW103N

Features

- Minimalist design
- Adjustable directional aerator and key
- Tilt & turn temperature & flow control
- Supplied on fixing plate to ease installation
- Available in 3 finishes

SanCeram



TMV3 Valve SCBW113 / SCBW114

Description

15mm TMV3 mixing valve to deliver safe blended water to various water outlets

Product Options

- 15mm version ref. SCBW113
- 22mm version ref. SCBW114

Features

- Anti-tamper head and integral check valves and strainers
- TMV2, TMV3 and WRAS approved
- 15mm and 22mm options available

Working pressures (bar)

Minimum 0.2, maximum 5.0,
maximum pressure differential 5.0:1.0



SanCeram



Chartham Deck mounted bath filler SCBW102

Description

Chartham dual lever deck mounted bath filler

Technical Specification

Max operating pressure: 5.0 bar
Min operating pressure: 0.1 bar

Features

- WRAS Approved
- Minimalistic design
- Dual lever operation
- ¼ turn ceramic disk cartridge

SanCeram



Chartham Deck mounted bath shower mixer SCBW118

Description

Chartham dual lever deck mounted bath filler with shower head & hose

Technical Specification

Max operating pressure: 5.0 bar
Min operating pressure: 0.5 bar

Features

- WRAS Approved
- Minimalistic design
- Dual lever operation
- ¼ turn ceramic disk cartridge
- Includes shower handset with patented Satinjet technology
- 9ltr/min flow regulator supplied

SanCeram



Marden Deck mounted bath filler MDBW103

Description

Marden dual lever deck mounted bath filler

Technical Specification

Max operating pressure: 5.0 bar
Min operating pressure: 0.2bar

Features

- Minimalistic design
- Dual lever operation
- ¼ turn ceramic disk cartridge
- Water flow aerator

SanCeram



Langley 5 hole bath / shower mixer LLBW103

Description

Langley 5 hole deck mounted bath / shower mixer tap with pull out shower handset

Technical Specification

Max operating pressure: 5.0 bar
Min operating pressure: 0.2bar

Features

- Minimalistic design
- Twin hot & cold handles & diverter from bath spout to shower hand set
- Single function shower handset
- Supplied with 2m interlocking hose
- Water flow aerator

SanCeram



1 1/4" Strainer waste, slotted tail TSWC101 / TSWC102

Description

1 1/4" basin strainer waste with slotted tail

Product options

- 1 1/4" strainer waste, slotted tail ref. TSWC101
- 1 1/4" strainer waste, unslotted tail ref. TSWC102

Features

- Durable chrome plated construction
- Available with slotted and unslotted tails
- Ideal for hand rinse basins where the ability to trap water is not required
- Helps to prevent accidental flooding due to running taps
- Supplied with fixing nut and sealing washer

SanCeram



1 1/4" Swivel waste, unslotted tail TSWC103 / TSWC104

Description

1 1/4" swivel waste with unslotted tail

Product options

- 1 1/4" swivel waste, slotted tail ref. TSWC103
- 1 1/4" swivel waste, unslotted tail ref. TSWC104

Features

- Durable chrome plated construction complete with a captive spinning disk
- 1 1/4" with the option of slotted and unslotted tails
- Fits all 1 1/4" basin waste outlets

SanCeram



1 1/4" Plug and chain waste, unslotted tail TSWC105 / TSWC106

Description

1 1/4" plug and chain waste with unslotted tail

Product options

- 1 1/4" plug and chain waste, slotted tail ref. TSWC105
- 1 1/4" plug and chain waste, unslotted tail ref. TSWC106

Features

- Durable chrome plated construction complete with a rubber plug with chain and securing bolt
- 1 1/4" with the option of slotted and unslotted tails
- Fits all 1 1/4" basin waste outlets

SanCeram



1 1/4" Click-clack waste, unslotted tail TSWC107 / TSWC108

Description

1 1/4" click-clack basin waste with latching press-top

Product options

- 1 1/4" click-clack waste, slotted tail ref. TSWC107
- 1 1/4" click-clack waste, unslotted tail ref. TSWC108

Features

- Durable chrome plated construction complete with a press top action
- 1 1/4" with the option of slotted and unslotted tails
- Fits all 1 1/4" basin waste outlets

SanCeram



1 1/2" Strainer waste, unslotted tail TSWC109 / TSWC118

Description

1 1/2" sink strainer waste with unslotted tail

Product option

- 1 1/2" sink strainer waste, unslotted tail with fixing kit ref. TSWC109
- 1 1/2" sink strainer waste, slotted tail with fixing kit ref. TSWC118

Features

- Durable chrome plated construction
- Unslotted tails
- Fits all 1 1/2" basin waste outlets

SanCeram



1 1/4" Ceramic topped click-clack waste, slotted tail TSWC101 / TSWC102

Description

1 1/4" basin ceramic topped click-clack waste with slotted tail

Product options

- 1 1/4" ceramic topped waste, slotted tail ref. TSWC120
- 1 1/4" ceramic topped waste, unslotted tail ref. TSWC121

Features

- Durable chrome plated construction
- Available with slotted and unslotted tails
- White ceramic topped to match basin
- Supplied with fixing nut and sealing washer

SanCeram



Overflow adapter TSWC111

Description

Plastic waste overflow adaptor

Features

- Compatible with TSWC101, TSWC103 and TSWC108
- To be used with MDWB107 and LLWB107

SanCeram



1 1/4" Conventional metal bottle trap TSWC112

Description

1 1/4" chrome plated brass bottle trap

Features

- Chrome plated brass body for durability
- Connects to a standard 32mm waste pipe
- Fits all 1 1/4" basin wastes

SanCeram



1 1/4" Modern chrome plated bottle trap TSWC114

Description

1 1/4" modern chrome plated brass bottle trap

Features

- Chrome plated brass body for durability
- Connects to a standard 32mm waste pipe
- Fits all 1 1/4" basin wastes



Plastic resealing bottle trap A10R / C10R

Description

Plastic resealing bottle trap

Product option

- 1 1/4" Plastic bottle trap ref. A10R
- 1 1/2" Plastic bottle trap ref. C10R

Features

- Impact resistant plastic construction which provides a 75mm water seal
- Simple non-mechanical action ensures retention of an adequate water seal even under extreme symphonic conditions



Showers & Baths

SanCeram

Thermostatic bar shower and slider rail SHWR111**Description**

Thermostatic bar shower with slider rail, hose and head

Technical Specification:

Max operating pressure: 5.0 bar
Min operating pressure: 0.35 bar

Features

- TMV2 approved
- WRAS approved
- Safe cool to touch body
- 38°C temperature hot stop with override facility
- Includes patented Satinjet handset
- Adjustable brackets on riser kit
- 1.5m easy clean hose
- 9ltr/min flow regulator supplied



DEVA

Vision concentric shower pack VSNCCONT03**Description**

Vision concentric shower valve with multi-function shower kit

Technical Specification:

Max operating pressure: 5.0 bar
Min operating pressure: 0.1 bar

Features

- TMV2 approved
- Concealed and exposed shower valve option in one box
- Multi-mode handset included
- Includes wall union for concealed installations
- 1.5m easy clean hose



iStandard

Alto ecotherm shower pack A4741**Description**

Alto Ecotherm thermostatic shower pack, includes fast fix wall bracket and 3 function shower kit

Technical Specification:

Max operating pressure: 10.0 bar
Min operating pressure: 0.2 bar

Features

- TMV2 approved
- WRAS approved
- Cool touch body
- Eco flow button for 50% water usage
- 40°C temperature hot stop
- 8ltr/min flow regulator supplied



SanCeram



Sequential lever operated concealed shower valve SHWR112

Description

Sequential concealed shower valve with built-in TMV3 control

Technical Specification:

Max operating pressure: 5.0 bar
Min operating pressure: 0.2 bar

Product Options

- Exposed mixer ref. SHWR113
- Concealed mixer ref. SHWR112

Features

- HBN / HTM compliant (concealed version)
- DDA compliant (concealed version)
- WRAS approved
- TMV3 approved
- Factory set at 43°C
- Fail safe hot & cold supplies
- 6ltr/min flow regulator supplied

HBN compliant
see pages 87-90

Doc M compliant
see pages 77-86

Armitage
Shanks

Contour 21 shower mixer A4129

Description

Contour 21 thermostatic sequential lever operated shower mixer

Technical Specification:

Max operating pressure: 10.0 bar
Min operating pressure: 0.2 bar

Features

- HBN / HTM compliant
- WRAS approved
- DDA compliant
- TMV3 approved
- 7.5ltr/min flow rate at 3 bar pressure

HBN compliant
see pages 87-90

Doc M compliant
see pages 77-86

Armitage
Shanks

Avon 21 self closing shower valve B8266

Description

Avon 21 self closing push button shower valve for pre-mixed water

Technical Specification:

Max operating pressure: 10.0 bar
Min operating pressure: 0.2 bar

Features

- DDA compliant
- WRAS approved
- Water saving
- Top or bottom supply

Doc M compliant
see pages 77-86

iIdeal
STANDARD

Trevi CTV shower lever mixer A3084/A3085

Description

Trevi CTV exposed thermostatic shower mixer with extended lever

Technical Specification:

Max operating pressure: 10.0 bar
Min operating pressure: 0.2 bar

Product Options

- Exposed mixer ref. A3084
- Concealed mixer ref. A3085

Features

- WRAS approved
- TMV3 approved
- DDA compliant (concealed version)
- Extended easy use lever
- Temperature safety stop

Doc M compliant
see pages 77-86

DEVA



Vision thermostatic valve

VSNVSEQ02/ VSNVSEQ01

Description

Vision thermostatic sequential flow and temperature controlled concealed lever shower valve

Technical Specification:

Max operating pressure: 10.0 bar
Min operating pressure: 0.2 bar

Product Options

- Exposed mixer ref. VSNVSEQ01
- Concealed mixer ref. VSNVSEQ02

Features

- HBN / HTM compliant (concealed version)
- DDA compliant (concealed version)
- WRAS approved
- TMV3 approved
- Sequential lever operation

HBN
compliant
see pages
87-90

Doc M
compliant
see pages
77-86

SanCeram



SanCeram self closing shower valve

SHWR122/ SHWR123

Description

Self closing shower valve for pre-mixed water

Technical Specification:

Max operating pressure: 5.0 bar
Min operating pressure: 0.1 bar

Product Options

- Concealed valve ref. SHWR122
- Exposed valve ref. SHWR123

Features

- DDA compliant (concealed version)
- WRAS approved
- Water saving
- 15 second flow time at 1 bar pressure
- Supplied with 6ltr/min flow regulators

Doc M
compliant
see pages
77-86

DEVA



Contemporary shower valve ROUVDUAT01

Description

Contemporary dual control concealed shower valve.

Technical Specification:

Max operating pressure: 5.0 bar
Min operating pressure: 0.3 bar

Features

- Turn operation
- Separate flow & temperature controls
- Chrome plated metal concealing plate

METHVEN



Kaha concealed 2 outlet mixer valve KAHA2VDIV

Description

Kaha concealed mixer valve with diverter for dual outlets

Technical Specification:

Max operating pressure: 5.0 bar
Min operating pressure: 0.2 bar

Features

- WRAS approved
- TMV3 approved
- 38°C temperature stop with override facility
- Diverter cartridge to two outlets
- Brass concealing plate
- 7ltr/min flow regulator supplied



SanCeram



Grab rail based shower kit SHWR115

Description

900mm grab rail based shower kit for less able users available with a white rail

Technical Specification:

Max operating pressure: 5.0 bar
Min operating pressure: 1.0 bar

Features

- DDA compliant
- HBN / HTM compliant
- 8ltr/min flow restrictor supplied
- 2m shower hose

HBN compliant
see pages 87-90

Doc M compliant
see pages 77-86

DEVA



Chrome plated 3-function kit SIGKITM02

Description

Chrome plated 3 function 'signature' shower kit

Technical Specification:

Max operating pressure: 5.0 bar
Min operating pressure: 0.3 bar

Features

- DDA compliant
- HBN / HTM compliant
- 1.5m standard hose
- Hose retainer and soap dish included
- Adjustable brackets on riser kit

HBN compliant
see pages 87-90

Doc M compliant
see pages 77-86

Armitage
Shanks



Armaglide 2 shower kit B9306

Description

Shower kit for exposed or concealed shower valves with single or three functions shower head

Features

- DDA compliant
- HBN / HTM compliant
- 1.75m smooth easy clean hose
- 8 litre/min flow restrictor
- Hose retaining ring

HBN compliant
see pages 87-90

Doc M compliant
see pages 77-86

DEVA



Vision diverter shower pack VCTSDEF

Description

Vision bar shower with diverter to fixed head & handset

Technical Specification:

Max operating pressure: 5.0 bar
Min operating pressure: 1.5 bar

Features

- 38°C temperature stop with override facility
- Separate flow & temperature control
- Integral diverter to fixed head or handset
- Single mode shower head with swivel joint
- 1.5m double interlocking hose
- Includes easy fit connections



SanCeram



Anti-ligature fixed shower head SHWR118

Description

Anti-vandal anti-ligature fixed shower head
Can also be used as a high security water outlet for basins

Technical Specification:

Max operating pressure: 5.0 bar
Min operating pressure: 0.5 bar

Features

- HBN / HTM compliant
- WRAS approved
- DDA compliant
- Anti-ligature design
- Brass body
- Hidden wall fixing for security

HBN
compliant
see pages
87-90

SanCeram



200mm circular shower head SHWR121

Description

200mm circular shower head

Technical Specification:

Max operating pressure: 5.0 bar
Min operating pressure: 0.1 bar

Compatible Extras

- Wall mounted shower arm ref. SHWR120

Features

- Minimalistic design
- 200mm chrome plated circular shower head
- Single function shower head
- Rub clean nozzles

SanCeram



Vandal resistant shower head SHWR124

Description

Vandal resistant short projection shower head

Technical Specification:

Max operating pressure: 10.0 bar
Min operating pressure: 0.2bar

Features

- HBN / HTM compliant
- DDA compliant
- WRAS approved
- Brass body
- Hidden wall fixing for security
- Concealed or exposed fixing connection
- Adjustable spray pattern

HBN
compliant
see pages
87-90

DEVA



Outlet for concealed showers SPE01

Description

Chrome wall union for connecting concealed shower valves to shower hoses and handsets

Features

- Chrome plated finish
- Supplied with trim plate, fixing nut and sealing ring
- Can be paired with any concealed shower valves
- Suitable for all sectors

SanCeram

SanCeram shower trays



Description

SanCeram 25mm low profile shower tray

Required Extras

- Shower Waste ref: SHWT101

Features

- Natural stone construction
- 25mm high for low step in
- Ideal for in-floor wet room look
- Install in the floor or on the floor for flexibility
- Gel coated so the tray is not cold to the touch
- Available in 4 styles

Square	Height	A	B	Code
	25mm	800mm	800mm	STSQ808
	25mm	900mm	900mm	STSQ909

Rectangular	Height	A	B	Code
	25mm	1000mm	800mm	STRC108
	25mm	1000mm	900mm	STRC109
	25mm	1100mm	800mm	STRC118
	25mm	1100mm	900mm	STRC119
	25mm	1200mm	760mm	STRC127
	25mm	1200mm	800mm	STRC128
	25mm	1200mm	900mm	STRC129
	25mm	1400mm	800mm	STRC148
	25mm	1400mm	900mm	STRC149
	25mm	1500mm	800mm	STRC158
	25mm	1500mm	900mm	STRC159
	25mm	1600mm	800mm	STRC168
	25mm	1600mm	900mm	STRC169
	25mm	1700mm	760mm	STRC177
25mm	1700mm	800mm	STRC178	
25mm	1700mm	900mm	STRC179	

Quadrant	Height	A	B	Code
	25mm	800mm	800mm	STQD808
	25mm	900mm	900mm	STQD909

Offset Quadrant	Height	A	B	Code
	Left	25mm	1200mm	800mm
	Right	25mm	1200mm	800mm
	Left	25mm	1200mm	900mm
	Right	25mm	1200mm	900mm

SanCeram



SanCeram shower wall

Description

SanCeram shower wall panel complete with support arm

Features

- 6mm toughened glass
- Reversible
- Support arm can be cut to size
- Aquaglean coated glass for easy clean
- 20mm adjustment for fitting ease

Shower wall	Height	Length	Entry*	Code
	1900mm	800mm	1195mm	SHSW80
	1900mm	900mm	1195mm	SHSW90
	1900mm	1000mm	1195mm	SHSW100
	1900mm	1200mm	1195mm	SHSW120

* Max

SanCeram



Chartham sliding shower doors

Description

Sliding shower door for installation into a recess

Optional Extras

- 760mm side panel ref. CHSP76END
- 800mm side panel ref. SHWR105
- 900mm side panel ref. CHSP90END

Features

- 6mm toughened glass
- Reversible
- Magnetic seals
- Easy clean bottom rollers
- Chrome design handle
- 20mm adjustment for fitting ease

Sliding Door	Height	Width	Entry	Code
	1850mm	1000mm	360mm	CHSP10SLD
	1850mm	1100mm	407mm	CHSP11SLD
	1850mm	1200mm	460mm	SHWR106

SanCeram



SanCeram pivot shower doors

Description

Pivot shower door for installation into a recess

Optional Extras

- 760mm side panel ref. SHSID76
- 800mm side panel ref. SHSID80
- 900mm side panel ref. SHSID90

Features

- 6mm toughened glass
- Reversible
- Magnetic seal
- Aquaglam coated glass for easy clean
- Chrome design handle
- Semi-framed design for maximum strength
- 20mm adjustment for fitting ease

Pivot Door	Height	Width	Entry	Code
	1850mm	760mm	519mm	SHPV760
	1850mm	800mm	555mm	SHPV800
	1850mm	900mm	555mm	SHPV900

SanCeram



SanCeram bi-fold shower doors

Description


Bi-fold shower door for installation into a recess

Optional Extras

- 760mm side panel ref. SHSID76
- 800mm side panel ref. SHSID80
- 900mm side panel ref. SHSID90

Features

- 6mm toughened glass
- Reversible
- Magnetic seal
- Aquaglam coated glass for easy clean
- Chrome design handle
- Semi-framed design for maximum strength
- 20mm adjustment for fitting ease

Bi-fold Door	Height	Width	Entry	Code
	1850mm	760mm	508mm	SHBIF76
	1850mm	800mm	560mm	SHBIF80
	1850mm	900mm	652mm	SHBIF90

SanCeram



SanCeram corner entry enclosure

Description

SanCeram shower enclosure with sliding 2 door corner entry

Features

- 6mm toughened glass
- Reversible
- Magnetic seal
- Aquaglean coated glass for easy clean
- Chrome design handle
- Semi-framed design for maximum strength
- 20mm adjustment for fitting ease

Corner Entry Enclosure	Height	Size	Entry	Code
	1850mm	800 x 800mm	401mm	SHCR808
	1850mm	900 x 900mm	425mm	SHCR909

SanCeram



SanCeram quadrant enclosure

Description

Quadrant shower enclosure with sliding 2 door corner entry

Features

- 6mm toughened glass
- Reversible
- Magnetic seal
- Aquaglean coated glass for easy clean
- Chrome design handle
- Semi-framed design for maximum strength
- 20mm adjustment for fitting ease

Quadrant Enclosure	Height	Size	Entry	Code
	1850mm	800 x 800mm	415mm	SHQD808
	1850mm	900 x 900mm	534mm	SHQD909
	1850mm	1200 x 800mm	473mm	SHQD128
	1850mm	1200 x 900mm	530mm	SHQD129



Tempo Arc E2563

Description

Tempo Arc inset acrylic 1700mm x 700mm bath.

Compatible Extras

- Waste & overflow kit ref. E1486
- 700mm end panel ref. E4140
- 1700mm side panel ref. E4130

Features

- White acrylic
- Inset bath
- No tap holes (can be drilled on site)
- Fully encapsulated baseboard



Concept double ended bath E7299/ E7358

Description

Concept inset double ended acrylic 1700mm x 750mm bath.

Product Options

- 2 tap hole version ref. E7299
- No tap hole version ref. E7358

Compatible Extras

- Pop-up waste & overflow ref. E5795
- Pop-up waste operating handle and cover ref. E5800
- 750mm end panel ref. E3195
- 1700mm side panel ref. E3194

Features

- White acrylic
- Inset bath
- Double ended (central waste)
- Fully encapsulated baseboard



Sandringham 21 Steel Bath S1835/ S1838/ S1839

Description

Sandringham 21 steel 1700mm x 700mm bath with chrome plated grips.

Product Options

- Two tap hole, anti-slip version ref. S1835
- No tap hole, anti-slip version ref. S1838
- 2 tap hole, anti-slip, water saving (130 ltr capacity) version ref. S1839

Features

- White porcelain enamelled steel
- Slip resistant base
- Inset bath
- Capacity 156 ltrs
- Water saving option available



Compatible Extras

- Bath waste & overflow kit ref. S8840
- 700mm end panel ref. S0916
- 1700mm side panel ref. S0915



**Approved
Doc M**

Equality Act

This Act requires that every business providing goods or services to the public must take reasonable steps to ensure less able people have equal access to all aspects of their premises.

From December 2006 all commercial and public buildings were required to be adapted for use by people with a physical or mental disability.

The washroom requirements necessary for compliance with this Act are set out in Approved Document M, 2015 of the Building Regulations.

Approved Document M overview

Private residences As outlined in Section 10.3 of Part M4

Public/commercial buildings As described in section 7 of BS 6465 and section 5.7 of part M3 of the building regulations.

The Sanitaryware Company solution

The primary characteristics of a modern washroom suitable for disabled use are shown in the example below, although there are many possible permutations. Fit for purpose is essential and sanitary items must be easy to operate, tailored to a specific need and correctly positioned.

The following pages (79-86) show a range of Doc M compliant 'packs' available from The Sanitaryware Company.

The Sanitaryware Company Technical Sales Team is available to discuss your Doc M requirements and are experienced in providing compliant solutions across a wide range of sectors.

- 1 Powder coated steel grab rails
- 2 Rails available in alternative colours
- 3 Hinged support arm suitable for loads up to 120Kg
- 4 Spatula style cistern lever for ease of use
- 5 6/3 litre dual flush cistern supplied. Effective flush volume of 4.5 litres
- 6 Solid seat fixing bar to avoid the need for seat retaining buffers
- 7 WC seats available in alternative colours
- 8 TMV3 approved sequential basin mixer tap for ease of use and guaranteed safety
- 9 Tap positioned to be close to WCuser
- 10 Basin without overflow hole to prevent bacteria build up
- 11 Basin supplied with strainer waste and resealing bottle trap
- 12 WC pan designed with extended plumbing connections to avoid blind fix errors
- 13 WC floor fixings supplied
- 14 Rimless flush pan bowl for the ultimate in hygiene, see page 15 for details



SanCeram Doc M pack, back to wall

Description


A complete universal access WC suite. Provided with a back to wall rimless WC pan and concealed dual flush dimple lever operated cistern, handed basin with sequential TMV3 mixer tap, waste and trap, and all required grab rails and support arms.

Product options


- Blue LH ref. SCDMBTWLB
- White LH ref. SCDMBTWLW
- Grey LH ref. SCDMBTWLG
- Stainless Steel LH ref. SCDMBTWLSS
- Blue RH ref. SCDMBTWRB
- White RH ref. SCDMBTWRW
- Grey RH ref. SCDMBTWRG
- Stainless Steel RH ref. SCDMBTWRSS

Features

- Back to wall Doc M compliant pack available either left or right handed
- Grab rails and seat are available in blue, white or grey
- LABC approved



HD - Possible position for automatic hand dryer
SD - Soap dispenser
PT - Paper towel dispenser
AR - Alarm reset button
TP - Toilet paper dispenser



Doc M BTW pack LH/RH

Description


Doc M back to wall pack comprising 750mm rimless WC and seat, 4.5ltr concealed cistern, hand rinse basin and hangers, basin mixer, strainer waste, bottle trap, grab rails and hinged support arm all in 1 box

Product options

- White LH ref. S0685AC
- Blue LH ref. S0685LI
- White RH ref. S0686AC
- Blue RH ref. S0686LI

Features

- Back to wall Doc M compliant pack available either left or right handed
- Grab rails and seat are available in blue or white
- Lantac approved



SanCeram Doc M pack, close coupled

Description

A complete universal access WC suite. Provided with a close coupled rimless WC pan with dual flush lever operated cistern, handed basin with sequential TMV3 mixer tap, waste and trap, and all required grab rails and support arms.


Product options

- Blue LH ref. SCDMCCLB
- White LH ref. SCDMCCLW
- Grey LH ref. SCDMCCLG
- Stainless Steel LH ref. SCDMCCLSS
- Blue RH ref. SCDMCCRB
- White RH ref. SCDMCCRW
- Grey RH ref. SCDMCCRG
- Stainless Steel RH ref. SCDMCCRSS



Features

- Close coupled Doc M compliant pack available either left or right handed
- Grab rails and seat are available in blue, white or grey
- LABC approved



Doc M close coupled LH/RH pack

Description


Doc M close coupled pack comprising 750mm WC & seat, 4.5ltr cistern and lever, hand rinse basin and hangers, basin mixer, strainer waste, bottle trap, grab rails and hinged support arm all in 1 box.

Product options

- White LH ref. S0683AC
- Blue LH ref. S0683LI
- White RH ref. S0684AC
- Blue RH ref. S0684LI

Features

- Close coupled Doc M compliant pack available either left or right handed
- Grab rails and seat are available in blue or white
- Lantac approved



Doc M showerpack

Description


A complete Doc M shower pack, supplied in one box with a recessed TMV3 sequential shower valve, fixed shower head, handset and hose, diverter valve, grab rails, drop down support arms, shower curtain and rail, seat and a robe hook.

Product options

- Concealed, white rails ref. SCDMSHCWH
- Concealed, blue rails ref. SCDMSHCBL
- Exposed, white rails ref. SCDMSHEWH
- Exposed, blue rails ref. SCDMSHEBL

Features

- Doc M compliant shower pack available with either an exposed or concealed shower valve
- Grab rails are available in blue or white



Doc M showerroom pack

Description


Doc M shower room pack with folding shower seat and back support in grey, 3x600mm grab rails, 2 hinged rails and multi system 450mm hand rail, lever operated TMV3 thermostatic mixer for concealed supplies, multi system handset holder, handset and hose, fixed short projection shower head, lever operated diverter, 1200x1200mm shower curtain, angle rail and clothes hook

Product options

- White ref. S6960AC
- Blue ref. S6960LI

Features

- Doc M compliant shower pack
- Grab rails are available in blue or white





600mm straight grab rail

Description

Powder coated 600mm grab rail

Product Options

- White ref. GRAB102
- Blue ref. GRAB105
- Light grey ref. GRAB108
- Grey ref. GRAB111

Features

- Exposed fixings
- 4 colour options
- Suitable for all sectors
- Not suitable for wet areas



450mm straight grab rail

Description

Powder coated 450mm grabrail

Product Options

- White ref. GRAB101
- Blue ref. GRAB104
- Light grey ref. GRAB107
- Grey ref. GRAB110

Features

- Exposed fixings
- 4 colour options
- Suitable for all sectors
- Not suitable for wet areas



800mm hinged grab rail with toilet roll holder

Description

Powder coated 800mm hinged grabrail with toilet roll holder

Product Options

- White ref. GRAB103
- Blue ref. GRAB106
- Light grey ref. GRAB109
- Grey ref. GRAB112

Features

- Exposed fixings
- 4 colour options
- Suitable for all sectors
- Not suitable for wet areas



Backrest GRBR101/GRBR102/GRB103

Description

Powder coated backrest rail

Product Options

- White ref. GRBR101
- Blue ref. GRBR102
- Grey ref. GRB103

Features

- Complete with a white cushion
- Exposed fixings
- Suitable for all sectors



Grab rail polished s. steel GRAB113/GRAB114/GRAB115

Description

Powder coated stainless steel grabrail

Features

- 450mm straight grabrail/600mm grabrail/800mm hinged rail
- Concealed fixings
- Suitable for all sectors



Grab rail kit, white GRAB116

Description

Powder coated grabrail kit in white

Features

- Kit includes: 5 x 600mm grabrail and 800mm hinged rail complete with a toilet roll holder
- Exposed fixings
- Suitable for all sectors
- Not suitable for wet areas



Grab rail kit, blue GRAB117

Description

Powder coated grabrail kit in blue

Features

- Kit includes: 5 x 600mm grabrail and 800mm hinged rail complete with a toilet roll holder
- Exposed fixings
- Suitable for all sectors
- Not suitable for wet areas



Grab rail kit, grey GRAB118

Description

Powder coated grabrail kit in grey

Features

- Kit includes: 5 x 600mm grabrail and 800mm hinged rail complete with a toilet roll holder
- Exposed fixings
- Suitable for all sectors
- Not suitable for wet areas



LRV Ratings

White - 94

Blue - 20

Dark Grey - 09

Light Grey - 20

RAL Number

White - 9016

Blue - 5011

Dark Grey - 7016

Light Grey - 7005



Healthcare

FRANKE

Disposal unit DU G22041N

Description

Franke stainless steel disposal unit 600mm x 600mm with back outlet for concealed cistern.

Essential items

- 9ltr cistern ref. F3018
- Chain pull for flush ref. F2055
- Flush pipe ref. B3022
- Plastic P trap ref. B4042
- Stainless steel waste ref. F2068
- Cantilever brackets (pair) ref. G26523LR

FRANKE

Disposal unit DU H G22016L/R

Description

Franke stainless steel disposal unit with drainer. 1000mm x 600mm with back inlet for concealed cistern.

Product options

- Disposal unit with Left hand drainer ref. G22016L
- Disposal unit with Right hand drainer ref. G22016R

Essential items

- 9ltr cistern ref. F3018
- Chain pull for flush ref. F2055
- Flush pipe ref. B3022
- Plastic P trap ref. B4042
- Stainless steel waste ref. F2068
- Cantilever brackets (pair) ref. G26523LR

FRANKE

Disposal unit DU HS G22018L/R

Description

Franke stainless steel disposal unit with sink and drainer. 1600mm x 600mm with back inlet for concealed cistern.

Product options

- Disposal unit with Left hand drainer ref. G22018L
- Disposal unit with Right hand drainer ref. G22018R

Essential items

- 9ltr cistern ref. F3018
- Chain pull for flush ref. F2055
- Flush pipe ref. B3022
- Plastic P trap ref. B4042
- Stainless steel waste ref. F2068
- Cantilever brackets (pair) ref. G26523LR
- 1 1/2" plastic bottle trap ref. C10R
- 1 1/2" unslotted strainer waste ref. TSWC109

FRANKE

Plaster sink PS H G22000L/R

Description

Franke stainless steel plaster sink and drainer 1200mm x 600mm with sump, basket and lid

Product options

- Plaster sink with left hand drainer ref. G22000L
- Plaster sink with right hand drainer ref. G22000R

Essential items

- Stainless steel waste ref. F2068
- Cantilever brackets (pair) ref. G26523LR
- 1 1/2" plastic bottle trap ref. C10R

FRANKE

Janitorial unit JU G20055N

Description

Franke stainless steel janitorial unit incorporating bucket sink, hinged grid, wash basin and single monoblock mixer tap

Essential items

- Combination waste kit ref. G20051N
- 1 ½" plastic bottle trap ref. C10R
- 1 ¼" plastic bottle trap ref. A10R

FRANKE

Surgeon's scrub troughs SU H1 G22029L/ R

Description

Franke stainless steel single station surgeons scrub up trough 800mm long with bottom waste outlet

Essential items

- 1 ½" plastic bottle trap ref. C10R

Product options

- Trough with Left hand outlet ref. G22029L
- Trough with Right hand outlet ref. G22029R



Surgeon's scrub troughs SU H2 G22030L/ R

Description

Franke stainless steel two station surgeons scrub up trough 1600mm long with bottom waste outlet

Essential items

- 1 ½" plastic bottle trap ref. C10R

Product options

- Trough with Left hand outlet ref. G22030L
- Trough with Right hand outlet ref. G22030R



Surgeon's scrub troughs SU H3 G22031L/ R

Description

Franke stainless steel three station surgeons scrub up trough 2400mm long with bottom waste outlet

Essential items

- 1 ½" plastic bottle trap ref. C10R

Product options

- Trough with Left hand outlet ref. G22030L
- Trough with Right hand outlet ref. G22030R

FRANKE

Sink and drainer ST A G22006L/R

Description

Franke stainless steel single bowl with single drainer sink. No tapholes, 1200mm long.

Product options

- Sink with left hand drainer ref. G22006L
- Sink with right hand drainer ref. G22006R

Essential items

- Stainless steel waste ref. F2068
- 1 ½" plastic bottle trap ref. C10R
- Cantilever brackets (pair) ref. G26523LR

FRANKE

Sink and double drainer ST B G22008D

Description

Franke stainless steel single central bowl with two drainers. No tapholes, 1800mm long

Essential items

- Stainless steel waste ref. F2068
- 1 ½" plastic bottle trap ref. C10R
- Cantilever brackets (pair) ref. G26523LR

FRANKE

Double sink and drainer ST C G22010L/R

Description

Franke stainless steel double bowl with single drainer. No tapholes, 1800mm long

Product options

- Sink with left hand drainer ref. G22010L
- Sink with right hand drainer ref. G22010R

Essential items

- Stainless steel waste ref. F2068 (2no)
- 1 ½" plastic bottle trap ref. C10R (2no)
- Cantilever brackets (pair) ref. G26523LR

FRANKE

Single bowl sink SK 1 G22002N

Description

Franke stainless steel single bowl sink, no tapholes 600mm long

Essential items

- Stainless steel waste ref. F2068
- 1 ½" plastic bottle trap ref. C10R
- Cantilever brackets (pair) ref. G26523LR

FRANKE

Double bowl sink SK 2 G22004N

Description

Franke stainless steel double bowl sink, no tapholes 1200mm long

Essential items

- Stainless steel waste ref. F2068 (2no)
- 1 ½" plastic bottle trap ref. C10R (2no)
- Cantilever brackets (pair) ref. G26523LR

Along with the specialist stainless steel units shown on pages 87 to 90, The Sanitaryware Company offer a comprehensive range of porcelain and brassware products to comply with the various parts of HBN as shown in the table, below.



SanCeram SanCeram SanCeram SanCeram SanCeram

HTM ref	Description	Code	Page
WCs			
WC H	Chartham rimless 480 BTW WC	CHWC104	13
WCHD	Chartham rimless 700 BTW WC	CHWC105	13
WCHD	Chartham rimless 700 WH WC	CHWC117	14
WCHD	Contour 21+ rimless 700 BTW WC	S0437	14
WC H	Contour 21+ rimless WH WC	S0441	16
WC H	Contour 21+ rimless 480 BTW WC	S0440	16
Urinals			
URH	Marden concealed trap urinal	MDUR101	24
URH	Contour urinal	S6110	26
URH	Langley concealed trap urinal	LLUR101	25
Washbasins			
LB G S	Chartham 380 WH basin RHTH	CHWB102	31
LB G S	Chartham 380 WH basin LHTH	CHWB101	31
LB G M	Chartham 500 WH basin RHTH	CHWB105	31
LB G M	Chartham 500 WH basin 2TH	CHWB106	31
LB H M	Chartham 500 WH basin BO	CHWB107	32
LB G S	Contour 21 370 WH basin LHTH	S2473	32
LB G S	Contour 21 370 WH basin RHTH	S2474	32
LB G M	Portman 21 500 basin WH RHTH	S2254	33
LB H M	Contour 21+ 500 WH basin BO	S0430	33

HTM ref	Description	Code	Page
Brassware			
TB H6	HBN thermostatic sensor	SCBW112/123	51
TB H2a	HBN thermostatic lever	SCBW111/122	51
TB H2a	Markwik 21+ HBN lever	A6682	51
TPP1	Avon 21 self closing mono basin mixer	B8861	54
TTP5	Avon 21 self closing pillar pair	B8267	55
TTP5	Self closing pillar	NCT001	55
TPP1	Aquamix C self closing	AQUA202	54
TP6	Sequential TMV3 mixer tap copper tails	SCBW110	56
TP5	Piccolo 21 lever	B8262	60
TP5	DLT short lever	DLT101	60
TBH1	Lever bib	DLT095	61
Showers			
TM1	Sequential lever operated concealed	SHWR112	67
TM1	Contour 21 shower mixer concealed	A4129	67
TM1	Vision thermostatic valve concealed	VSNVSEQ02	68

the
sanitaryware
company

Unit 1410, Montegu Court
Kettering Parkway
Kettering, Northants
NN15 6XR

tel **01474 338300**

email sales@theswc.co.uk
www.theswc.co.uk